

INTERNATIONAL STANDARD

IEC
60335-2-62

1996

AMENDMENT 2
2000-02

Amendment 2

Safety of household and similar electrical appliances –

Part 2-62: Particular requirements for commercial electric rinsing sinks

Amendement 2

Sécurité des appareils électrodomestiques et analogues –

Partie 2-62: Règles particulières pour les plonges électriques à usage collectif

© IEC 2000 — Copyright - all rights reserved

International Electrotechnical Commission
Telefax: +41 22 919 0300

3, rue de Varembé Geneva, Switzerland
e-mail: inmail@iec.ch IEC web site <http://www.iec.ch>



Commission Electrotechnique Internationale
International Electrotechnical Commission
Международная Электротехническая Комиссия

PRICE CODE

C

For price, see current catalogue

FOREWORD

This amendment has been prepared by subcommittee 61E: Safety of electrical commercial catering equipment, of IEC technical committee 61: Safety of household and similar electrical appliances.

The text of this amendment is based on the following documents:

FDIS	Report on voting
61E/334/FDIS	61E/360/RVD

Full information on the voting for the approval of this amendment can be found in the report on voting indicated in the above table.

A bilingual version of this amendment may be issued at a later date.

Page 13

6 Classification

Delete subclause 6.101.

Page 17

11 Heating

11.7 *Replace, on page 19, the replacement as follows:*

Replace the test specification paragraph by the following:

Appliances are operated until steady conditions are established.

Page 19

13 Leakage current and electric strength at operating temperature

13.2 *Delete the addition.*

Page 25

22 Construction

22.102 *Add the following sentence to the first requirement paragraph:*

If the **non-self-resetting thermal cut-out** is only accessible after removing parts with the aid of a **tool**, the trip-free type is not required.

Add the following after the first requirement paragraph:

NOTE **Thermal cut-outs** of the trip-free type have an automatic action, with a reset actuating member, so constructed that the automatic action is independent of manipulation or position of the reset mechanism.

Page 31

30 Resistance to heat, fire and tracking

30.2.2 *Replace the modification by the following:*

Not applicable

IECNORM.COM: Click to view the full PDF of IEC 60335-2-62:1996/AM2:2000
