
**Information technology — Security
techniques — Key management —**

Part 4:

Mechanisms based on weak secrets

**AMENDMENT 2: Leakage-resilient
password-authenticated key agreement
with additional stored secrets**

*Technologies de l'information — Techniques de sécurité — Gestion
de clés*

Partie 4: Mécanismes basés sur des secrets faibles

AMENDEMENT 2





COPYRIGHT PROTECTED DOCUMENT

© ISO/IEC 2021

All rights reserved. Unless otherwise specified, or required in the context of its implementation, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office
CP 401 • Ch. de Blandonnet 8
CH-1214 Vernier; Geneva
Phone: +41 22 749 01 11
Email: copyright@iso.org
Website: www.iso.org

Published in Switzerland

Foreword

ISO (the International Organization for Standardization) and IEC (the International Electrotechnical Commission) form the specialized system for worldwide standardization. National bodies that are members of ISO or IEC participate in the development of International Standards through technical committees established by the respective organization to deal with particular fields of technical activity. ISO and IEC technical committees collaborate in fields of mutual interest. Other international organizations, governmental and non-governmental, in liaison with ISO and IEC, also take part in the work.

The procedures used to develop this document and those intended for its further maintenance are described in the ISO/IEC Directives, Part 1. In particular, the different approval criteria needed for the different types of document should be noted. This document was drafted in accordance with the editorial rules of the ISO/IEC Directives, Part 2 (see www.iso.org/directives).

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO and IEC shall not be held responsible for identifying any or all such patent rights. Details of any patent rights identified during the development of the document will be in the Introduction and/or on the ISO list of patent declarations received (see www.iso.org/patents) or the IEC list of patent declarations received (see <https://patents.iec>).

Any trade name used in this document is information given for the convenience of users and does not constitute an endorsement.

For an explanation of the voluntary nature of standards, the meaning of ISO specific terms and expressions related to conformity assessment, as well as information about ISO's adherence to the World Trade Organization (WTO) principles in the Technical Barriers to Trade (TBT), see www.iso.org/iso/foreword.html.

This document was prepared by Joint Technical Committee ISO/IEC JTC 1, *Information technology, SC 27, Information security, cybersecurity and privacy protection*.

A list of all parts in the ISO/IEC 11770 series can be found on the ISO website.

Any feedback or questions on this document should be directed to the user's national standards body. A complete listing of these bodies can be found at www.iso.org/members.html.

IECNORM.COM : Click to view the full PDF of ISO/IEC 11770-4:2017/AMD2:2021

Information technology — Security techniques — Key management —

Part 4: Mechanisms based on weak secrets

AMENDMENT 2: Leakage-resilient password-authenticated key agreement with additional stored secrets

Introduction

Insert new list item e) as follows:

- e) **Leakage-resilient password-authenticated key agreement with additional stored secrets:** Establish one or more shared secret keys between two entities *A* and *B*, where *A* has a weak secret and a (possibly, insecure) stored secret that might be revealed to or altered by adversaries and *B* has verification data derived from *A*'s weak secret and stored secret. In a leakage-resilient password-authenticated key agreement with additional stored secrets mechanism, the shared secret keys are the result of a data exchange between the two entities; the shared secret keys are established if, and only if, the two entities have used the weak secret, the stored secret and the corresponding verification data; and *A*, *B* and an adversary who has obtained and altered the stored secret are all unable to predetermine the values of the shared secret keys.

NOTE 4 Here, "leakage-resilience" means security against either compromise of stored secrets held by client *A* or compromise of verification data held by server *B*, but not both. This type of key agreement mechanism is able to protect *A*'s weak secret from being discovered by *B*, as well as preventing an adversary from getting *A*'s weak secret from *B*. Also, this type of key agreement mechanism prevents an adversary from performing online dictionary attacks unless the adversary obtains *A*'s stored secret. In other words, an adversary who obtains *A*'s stored secret is restricted to performing online dictionary attacks, and the security level in this case is the same as that of the other mechanisms in this document. A typical application scenario would involve use between a client (*A*) and a server (*B*), where a client user employs a portable device such as a smart phone, USB memory or smart card to save the user's stored secret, or where a client terminal shares a network-attached storage device in an office environment.

Clause 2

Replace Clause 2 with the following:

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

ISO/IEC 10118 (all parts), *Information technology — Security techniques — Hash-functions*

ISO/IEC 29192-5, *Information technology — Security techniques — Lightweight cryptography — Part 5: Hash-functions*

ISO/IEC 9797 (all parts), *Information technology — Security techniques — Message Authentication Codes (MACs)*

ISO/IEC 29192-6, *IT Security techniques — Lightweight cryptography — Part 6: Message Authentication Codes (MACs)*

ISO/IEC 11770-6, *Information technology — Security techniques — Key management — Part 6: Key derivation*

ISO/IEC 18033-2, *Information technology — Security techniques — Encryption algorithms — Part 2: Asymmetric ciphers*

ISO/IEC 19772, *Information technology — Security techniques — Authenticated encryption*

Clause 3

Insert new term 3.40 as follows:

3.40

Hamming weight

number of non-zero elements in a bit string

Clause 4

Replace definitions as follows:

H	a collision-resistant hash-function taking an octet string as input and giving a bit string as output. One of the hash-functions specified in ISO/IEC 10118 (all parts) or ISO/IEC 29192-5 shall be used
$h(x, L_K)$	a collision-resistant hash-function taking an octet string x and an integer L_K as input and giving a bit string of length L_K (in bits) as output. One of the hash-functions specified in ISO/IEC 10118 (all parts) or ISO/IEC 29192-5 shall be used
$mac(k, m)$	a message authentication code (MAC) function taking a key k and a variable-length message m as input and giving a fixed-length output. One of the MAC algorithms specified in ISO/IEC 9797 (all parts) or ISO/IEC 29192-6 shall be used
G, G_a, G_b	points of order r on E over $F(q)$, where the relative discrete logarithms of G, G_a, G_b are unknown
g, g_1, g_a, g_b	elements of multiplicative order r in $F(q)$, where the relative discrete logarithms of g, g_1, g_a, g_b are unknown
K	a function for deriving a key from a secret value and a key derivation parameter. One of the key derivation functions specified in ISO/IEC 11770-6 shall be used

Add the following definitions:

- ⊕ bit-wise exclusive-or operation on bit-strings of equal length
- AE an authenticated encryption, (reversible) transformation of data by a cryptographic algorithm to produce ciphertext that cannot be altered by an unauthorized entity without detection, i.e. that provides data confidentiality, data integrity, and data origin authentication. One of the authenticated encryption methods specified in ISO/IEC 19772 shall be used

Clause 5

Replace the last sentence with the following:

It is also assumed that the entities are aware of a common hash-function H , one of the hash-functions specified in ISO/IEC 10118 (all parts) or ISO/IEC 29192-5.

Clause 9

Add new Clause 9 as follows:

9 Leakage-resilient password-authenticated key agreement with additional stored secrets

9.1 General

This clause specifies two mechanisms (LKAM1 and LKAM2) for leakage-resilient password-authenticated key agreement with additional stored secrets. These mechanisms, specified in 9.2 and 9.3, require one of the two entities to possess verification data for a weak secret and a stored secret known to the other entity.

The two mechanisms share the following initialization and key establishment processes.

Initialization process: The two entities involved agree to use a set of valid domain parameters, a set of key derivation parameters and a set of functions, all of which may be publicly known. The two entities also agree to use shared password-based information, i.e. one entity has a password-based weak secret and a stored secret, and the other entity has the corresponding verification data.

NOTE In the initialization process, the two entities who only share password-based information can establish a secure channel by performing the key establishment process. In the case of LKAM2, the server first sends an RSA parameter n . Through the established secure channel, the two entities can register verification data and stored secrets.

Key establishment process:

- Generate and exchange key tokens.* The two entities involved each randomly choose one or more key token factors associated with the domain parameters, create the corresponding key tokens, which may be associated with the password and the stored secret or verification data (a key token associated with the password and the stored secret or verification data is called an “entangled key token”), and then make the key tokens available to the other entity.
- Check validity of key tokens.* Depending on the operations for producing key tokens in step a), the two entities involved each choose an appropriate method to validate the received key tokens based on the domain parameters. If any validation fails, the entity involved shall output “invalid” and stop.
- Derive shared secret keys.* The two entities involved each apply certain secret value derivation functions to their own key token factor, the other entity’s key tokens and/or shared verification data to produce a shared secret value. Each entity further applies a key derivation function to the shared secret value and the key derivation parameters, to derive one or more shared secret keys.

- d) *Check key confirmation and update stored secrets.* The two entities involved use the shared secret keys established using the above steps to confirm their awareness of the keys to each other, and to update their stored secrets. This step is mandatory.

9.2 Leakage-resilient key agreement mechanism 1 (LKAM1)

9.2.1 General

This mechanism is designed to achieve leakage-resilient password-authenticated key agreement with additional stored secrets, and establishes one or more shared secret keys between entities A and B . In the mechanism, A has a password-based octet string π and a stored secret s_i , and B has verification data W_i corresponding to π and s_i . This mechanism provides unilateral explicit key authentication and, optionally, mutual key authentication.

This mechanism works in both the DL setting and the EC setting.

NOTE 1 In applications using leakage-resilient password-authenticated key agreement with additional stored secrets, A can play the role of a client and B can play the role of a server.

NOTE 2 This mechanism is based on the work of Shin, Kobara and Imai^[35].

9.2.2 Prior shared parameters

Key agreement between two entities A and B takes place in an environment consisting of the following parameters:

- a set of valid domain parameters (either DL domain parameters or EC domain parameters) as specified in Clause 5;
- a counter which stores the value of i (initially $i = 1$);
- the length L_K of a shared secret key K ;
- a password-based octet string π and a stored secret s_i , which is an integer of L_K bits used by A ;
- a verification element derivation function J , used by A ;
- a verification element $W_i = J(\pi, s_i)$, used by A and B ;
- a key token generation function D , used by A and B ;
- an entangled key token generation function C , used by A ;
- a key token check function T , used by A and B ;
- two secret value derivation functions V_A and V_B , one for each entity;
- a key derivation function K , used by A and B ;
- one or more key derivation parameter octet strings $\{P_1, P_2, \dots\}$, where A and B shall agree to use the same values.

9.2.3 Functions

9.2.3.1 Verification element derivation function J

The verification element derivation function J takes a password-based octet string π and a stored secret s_i as input and produces an element of $F(q)$, written $J(\pi, s_i)$, as output. Leakage-resilient key agreement mechanism 1 can be used with either of the following two functions J_{DL} and J_{EC} :

- J_{DL} is suitable for use when the mechanism is used with the DL domain parameters, i.e. it operates over the multiplicative group of elements of $F(q)$. Given the DL domain parameters (including g_b and q), a password-based octet string π and a stored secret s_i , J_{DL} is defined as in [Formula \(40\)](#):

$$J_{DL}(\pi, s_i) = g_b^{BS2I(H(\pi)) + s_i \bmod r} \bmod q \quad (40)$$

- J_{EC} is suitable for use when the mechanism is used with the EC domain parameters, i.e. it operates over the additive group of elements in an elliptic curve of $F(q)$. Given the EC domain parameters (including G_b), a password-based octet string π and a stored secret s_i , J_{EC} is defined as in [Formula \(41\)](#):

$$J_{EC}(\pi, s_i) = [BS2I(H(\pi)) + s_i \bmod r] \times G_b \quad (41)$$

Function BS2I (Bit String to Integer conversion) is described in Annex A.

9.2.3.2 Key token generation function D

The key token generation function D takes an integer x from $\{1, \dots, r - 1\}$ as input, and produces an element written $D(x)$ as output. Leakage-resilient key agreement mechanism 1 can be used with either of the following two functions D_{DL} and D_{EC} :

- D_{DL} is suitable for use when the mechanism is used with the DL domain parameters, i.e. it operates over the multiplicative group of elements of $F(q)$. Given the DL domain parameters (including g and q) and an input x from $\{1, \dots, r - 1\}$, D_{DL} is defined as in [Formula \(42\)](#):

$$D_{DL}(x) = g^x \bmod q \quad (42)$$

- D_{EC} is suitable for use when the mechanism is used with the EC domain parameters, i.e. it operates over the additive group of elements in an elliptic curve of $F(q)$. Given the EC domain parameters (including G) and an input x from $\{1, \dots, r - 1\}$, D_{EC} is defined as in [Formula \(43\)](#):

$$D_{EC}(x) = [x] \times G \quad (43)$$

9.2.3.3 Entangled key token generation function C

The entangled key token generation function C takes two inputs, an output W_i of function J and an output X of function D , and produces an element written $C(W_i, X)$ as output. Leakage-resilient key agreement mechanism 1 can be used with either of the following C functions C_{DL} and C_{EC} :

- C_{DL} is suitable for use when the mechanism is used with the DL domain parameters, i.e. it operates over the multiplicative group of elements of $F(q)$. Given the DL domain parameters (including q) and two inputs, the output W_i of function J and the output X of function D , C_{DL} is defined as follows:

- compute $C_{DL}(W_i, X) = W_i \times X \bmod q$;
- if $C_{DL}(W_i, X)$ is 0, 1 or $q - 1$, output “invalid” and stop; otherwise, output $C_{DL}(W_i, X)$.

- C_{EC} is suitable for use when the mechanism is used with the EC domain parameters, i.e. it operates over the additive group of elements in an elliptic curve of $F(q)$. Given the EC domain parameters and two inputs, the output W_i of function J and the output X of function D , C_{EC} is defined as follows:

- compute $C_{EC}(W_i, X) = W_i + X$;
- if $[2^n] \times C_{EC}(W_i, X) = 0_E$, output “invalid” and stop; otherwise output $C_{EC}(W_i, X)$.

9.2.3.4 Key token check function T

The key token check function T is the same as that defined in 6.2.3.3.

9.2.3.5 Secret value derivation functions V_A and V_B

- The secret value derivation function V_A takes two inputs, an integer x from $\{1, \dots, r - 1\}$ and an output Y of function D , and produces an element written $V_A(x, Y)$ as output.

- b) The secret value derivation function V_B takes three inputs, an integer y from $\{1, \dots, r-1\}$, an output X' of function C and an output W_i of function J , and produces an element written $V_B(y, X', W_i)$ as output.
- c) V_A and V_B satisfy the condition $V_A(x, Y) = V_B(y, X', W_i)$.

Leakage-resilient key agreement mechanism 1 can be used with either of the following two functions V_{ADL} and V_{AEC} , and either of the following two functions V_{BDL} and V_{BEC} :

- a) V_{ADL} is suitable for use when the mechanism is used with the DL domain parameters, i.e. it operates over the multiplicative group of $F(q)$. Given the DL domain parameters (including q), an integer x from $\{1, \dots, r-1\}$ and an integer Y from $\{2, \dots, q-2\}$, V_{ADL} is defined in the following steps:
 - compute $V_{ADL}(x, Y) = Y^x \bmod q$;
 - output $V_{ADL}(x, Y)$.
- b) V_{BDL} is suitable for use when the mechanism is used with the DL domain parameters, i.e. it operates over the multiplicative group of $F(q)$. Given the DL domain parameters (including q), an integer y from $\{1, \dots, r-1\}$, an integer X' from $\{2, \dots, q-2\}$ and an integer W_i from $\{2, \dots, q-2\}$, V_{BDL} is defined in the following steps:
 - compute $V_{BDL}(y, X', W_i) = (X' / W_i)^y \bmod q$;
 - output $V_{BDL}(y, X', W_i)$.
- c) V_{AEC} is suitable for use when the mechanism is used with the EC domain parameters, i.e. it operates over the additive group of elements in an elliptic curve of $F(q)$. Given the EC domain parameters, an integer x from $\{1, \dots, r-1\}$ and a point $Y (\neq 0_E)$ on E , V_{AEC} is defined in the following steps:
 - compute $V_{AEC}(x, Y) = [x] \times Y$;
 - output $V_{AEC}(x, Y)$.
- d) V_{BEC} is suitable for use when the mechanism is used with the EC domain parameters, i.e. it operates over the additive group of elements in an elliptic curve of $F(q)$. Given the EC domain parameters, an integer y from $\{1, \dots, r-1\}$, a point $X' (\neq 0_E)$ on E and a point $W_i (\neq 0_E)$ on E , V_{BEC} is defined in the following steps:
 - compute $V_{BEC}(y, X', W_i) = [y] \times (X' - W_i)$;
 - output $V_{BEC}(y, X', W_i)$.

9.2.3.6 Key derivation function K

The key derivation function K is the same as that defined in 6.2.3.6.

9.2.4 Initialization operation

In the initialization operation, A chooses an integer s_1 randomly from $\{1, \dots, r-1\}$, computes $W_1 = J(\pi, s_1)$, and then securely transfers W_1 to B . While A has the password-based weak secret π and the stored secret s_1 (along with the counter $i = 1$), B has the corresponding verification data W_1 and the counter $i = 1$.

NOTE Entity A can update the password-based weak secret by performing the initialization operation.

9.2.5 Key agreement operation

In the i -th ($i \geq 1$) key agreement operation, this mechanism involves both A and B performing a sequence of up to three steps, numbered A1 to A3 and B1 to B3 (for the steps to be followed by A and B , respectively).

a) Entangled key token construction (A1)

A performs the following steps:

- 1) compute $W_i = J(\pi, s_i)$ as its verification element;
- 2) choose an integer x randomly from $\{1, \dots, r-1\}$ as its key token factor;
- 3) compute $X = D(x)$ as its key token, and $X' = C(W_i, X)$ as its entangled key token (if the output of function C is "invalid", go back to the above item to choose a different x value at random and try again);
- 4) make i and X' available to B .

b) Key token construction (B1)

B performs the following steps:

- 1) receive i and X' from A ;
- 2) check the validity of i : if the received value of i is not the same as the value B has, output "invalid" and stop; otherwise, continue;
- 3) check the validity of X' using $T(X')$: if $T(X') = 0$, output "invalid" and stop; otherwise, continue;
- 4) choose an integer y uniformly at random from the range $\{1, \dots, r-1\}$ as its key token factor;
- 5) compute $Y = D(y)$ as its key token;
- 6) compute $z = V_B(y, X', W_i)$ as an agreed secret value;
- 7) compute $o_B = H(I2OS(1)||A||B||I2OS(i)||GE2OS_X(X')||GE2OS_X(Y)||GE2OS_X(W_i)||GE2OS_X(z))$;
- 8) make Y and o_B available to A .

c) Key confirmation (mandatory) and shared secret key derivation (A2)

A performs the following steps:

- 1) receive Y and o_B from B ;
- 2) check the validity of Y using $T(Y)$: if $T(Y) = 0$, output "invalid" and stop; otherwise, continue;
- 3) compute $z = V_A(x, Y)$ as an agreed secret value;
- 4) compute $o_B' = H(I2OS(1)||A||B||I2OS(i)||GE2OS_X(X')||GE2OS_X(Y)||GE2OS_X(W_i)||GE2OS_X(z))$;
- 5) if $o_B \neq o_B'$, output "invalid" and stop; otherwise, continue;
- 6) compute $o_A = H(I2OS(2)||A||B||I2OS(i)||GE2OS_X(X')||GE2OS_X(Y)||GE2OS_X(W_i)||GE2OS_X(z))$;
- 7) compute $K_j = K(A||B||I2OS(i)||GE2OS_X(X')||GE2OS_X(Y)||GE2OS_X(W_i)||GE2OS_X(z), P_j, L_K)$ as a shared secret key for each key derivation parameter P_j ($j = 1, 2, \dots$);
- 8) make o_A available to B .

d) Key confirmation and shared secret key derivation (B2)

B performs the following steps:

- 1) receive o_A from A ;
- 2) compute $o_A' = H(I2OS(2)||A||B||I2OS(i)||GE2OS_X(X')||GE2OS_X(Y)||GE2OS_X(W_i)||GE2OS_X(z))$;
- 3) if $o_A \neq o_A'$, output "invalid" and stop; otherwise, continue;
- 4) compute $K_j = K(A||B||I2OS(i)||GE2OS_X(X')||GE2OS_X(Y)||GE2OS_X(W_i)||GE2OS_X(z), P_j, L_K)$ as a shared secret key for each key derivation parameter P_j ($j = 1, 2, \dots$).

e) Update of stored secrets (A3 and B3)

A performs the following step (A3):

- 1) compute $s_{(i+1)} = s_i + \text{BS2I}(H(\text{I2OS}(3)||A||B||\text{I2OS}(i)||\text{GE2OS}_X(X')||\text{GE2OS}_X(Y)||\text{GE2OS}_X(W)||\text{GE2OS}_X(z))) \bmod r$.

B performs the following step (B3):

- 1) compute $u = \text{BS2I}(H(\text{I2OS}(3)||A||B||\text{I2OS}(i)||\text{GE2OS}_X(X')||\text{GE2OS}_X(Y)||\text{GE2OS}_X(W)||\text{GE2OS}_X(z))) \bmod r$;
- 2) compute $W_{(i+1)} = W_i \times (g_b)^u \bmod q$ in the DL setting;
- 3) compute $W_{(i+1)} = W_i + [u] \times G_b$ in the EC setting;
- 4) check the validity of $W_{(i+1)}$ using $T(W_{(i+1)})$: if $T(W_{(i+1)}) = 0$, output "invalid" and stop.

Entity A shall verify the entity B's proof of knowledge of the agreed key before revealing any information derived from the agreed key. Therefore, A2 shall be done before B2 if the latter is performed.

Functions BS2I (Bit String to Integer conversion), I2OS (Integer to Octet String conversion) and GE2OS_X (Group Element to Octet String conversion) are described in Annex A where Annex A shall be referenced for the details of the conversion functions.

Numerical examples can be found in D.1.

NOTE 1 A group element in this mechanism is a point on the curve E in the EC setting, or an integer in the range $\{1, \dots, q-1\}$ in the DL setting.

NOTE 2 In this mechanism, X and Y can be computed before the key agreement operation.

NOTE 3 This mechanism can be extended to provide synchronization, randomized ID and security against server compromise impersonation attacks in the same way as in Section 6 of Reference [36].

9.3 Leakage-resilient key agreement mechanism 2 (LKAM2)

9.3.1 General

This mechanism is designed to achieve leakage-resilient authenticated key agreement with password and untrusted storage using the RSA public key cryptosystem and establishes one or more shared secret keys between entities A and B with joint key control. In the mechanism, A remembers a password (denoted by π when rendered as an octet string), and has, in an untrusted storage device that might be modified or copied by adversaries to impersonate A or B or to reveal the agreed keys, the RSA parameter n , a stored secret u_j where subscript j denotes a counter and a random pseudo identity A' of A. B has password verification data v_j corresponding to both π and u_j , a hash value A'' of A' , and RSA private key parameters d , p , q and so on. These RSA private and public key parameters shall be generated using ISO/IEC 18033-2:2006, 11.1, and the additional requirement and recommendations for e to be used in this mechanism are explained in 9.3.3. This mechanism provides unilateral explicit key authentication, and optionally mutual key authentication.

NOTE 1 In applications using leakage-resilient authenticated key agreement with password and untrusted storage, A can play the role of a client and B can play the role of a server.

NOTE 2 This mechanism is based on the work of Shin, Kobara and Imai^[36].

9.3.2 Prior shared parameters

Key agreement between two entities A and B takes place in an environment consisting of the following parameters, in which L_K , e , H , mac , K , $\{P_1, P_2, \dots\}$ are shared as system parameters among all or a subset of the users of this mechanism:

- the length of a shared secret key L_K which must be a multiple of 8;

- a set of RSA public key parameters, namely a prime integer e and a composite number n generated as specified in ISO/IEC 18033-2:2006, 11.1, where e is specialized for this mechanism as explained in 9.3.3;
- a cryptographic collision-resistant hash-function H giving a $2L_K$ -bit output, that shall be chosen from amongst the functions standardized in ISO/IEC 10118 (all parts) or ISO/IEC 29192-5, being truncated as necessary;
- a message authentication code generation function mac , that shall be chosen from amongst the functions standardized in ISO/IEC 9797 (all parts) or ISO/IEC 29192-6;
- a counter which stores the value of j (initially $j=1$);
- a stored secret u_j and corresponding $v_j = J(\pi, u_j)$ where u_j is an octet string of random L_K bits and J is a password verification element derivation function in 9.3.4.1. Both u_j and v_j are set in the initialization operation in 9.3.5, and then used by A and B , respectively;
- a pseudo identity A'_j and a corresponding hash value $A''_j = H(\text{I2OS}(0)||A'_j)$ of the entity A , where A'_j is an octet string of length $L_K/8$ whose constituent bits are generated uniformly at random. Both A'_j and A''_j are set in the initialization operation in 9.3.5 and used by A and B , respectively;
- a key derivation function K , that shall be chosen from amongst the functions standardized in ISO/IEC 11770-6;
- one or more key derivation parameter octet strings $\{P_1, P_2, \dots\}$, where A and B shall agree to use the same values.

9.3.3 Additional requirement and recommendations for RSA public key parameter e

The following requirements on the choice of the parameter e , additional to those specified in ISO/IEC 18033-2:2006, 11.1, apply.

- a) e shall be a prime and $e \geq 2^{L_K}$;
- b) the sum of the Hamming weight of the binary representation of e and the bit-length of e should be as small as possible, subject to requirement a);
- c) e should be as large as possible within b).

NOTE 1 Requirement a) ensures that the e -residue attack^[36], which applies when an adversary can modify the parameter n , is not feasible.

NOTE 2 Recommendation b) is intended to help minimize the computational cost for entity A .

NOTE 3 Recommendation c) is intended to make e -residue attacks as difficult as possible for a given computational cost on A .

NOTE 4 Examples of choices for e satisfying requirement a)-c) are given in C.4.

9.3.4 Functions

9.3.4.1 Password verification element derivation function J

The password verification element derivation function J takes a password-based octet string π and a random L_K -bit stored secret u_j as input, and produces as output an octet string password verification data $v_j = H(\text{I2OS}(4)||\pi||A||B) \oplus u_j$.

9.3.4.2 Key token generation function D

The key token generation function D takes password verification data v_j , RSA public parameters n, e and integers x_1, x_2 in $\{1, \dots, n-1\}$ as input, and produces as output $Z = D(e, n, x_1, x_2, v_j)$, an integer in the range $\{0, \dots, n-2\}$. D is calculated as follows:

- compute $y_1 = (x_1)^e \bmod n$;
- compute $W = \text{BS2I}(H(\text{I2OS}(7) || v_j || \text{I2OS}(x_2)))$;
- compute $Z = ((y_1 - 1) + W) \bmod (n - 1)$;
- output Z .

9.3.4.3 Password-entangled key token generation function C

The password-entangled key token generation function C takes, as input, password verification data v_j , an integer Z in $\{1, \dots, n-2\}$, integers y_2, d, p, q in $\{1, \dots, n-1\}$ respectively, and produces an integer x_1 in $\{1, \dots, n-1\}$ as the output of $C(v_j, Z, y_2, d, p, q)$. C is calculated as follows:

- compute $x_2 = (y_2)^d \bmod n$;
- compute $W = \text{BS2I}(H(\text{I2OS}(7) || v_j || \text{I2OS}(x_2)))$;
- compute $y_1 = ((Z - W) \bmod (n - 1)) + 1$;
- compute $x_1 = (y_1)^d \bmod n$;
- output x_1 .

NOTE $y^d \bmod n$ can be calculated efficiently using p and q and Garner's algorithm^[38] with $((((x_p - x_q)/q) \bmod p) + x_q$ where $x_p = y^{(d \bmod (p-1))} \bmod p$ and $x_q = y^{(d \bmod (q-1))} \bmod q$.

9.3.4.4 Key derivation function K

The key derivation function K is the same as that defined in 6.2.3.6.

9.3.5 Initialization operation

In the initialization operation, A securely transfers the hash value A''_1 associated with the pseudo identity and the password verification element v_1 to B , and B securely transfers the RSA public key parameters e and n to A . While A has the password π , the pseudo identity A'_1 and the stored secret u_1 , B has the corresponding password verification data v_1 , the hash value A''_1 and the RSA private key parameters d, p, q and so on.

NOTE Entity A can update the password-based weak secret by performing the initialization operation.

9.3.6 Key agreement operation

This mechanism (for $j \geq 1$) involves A and B performing sequences of steps numbered A1 to A6 and B1 to B5 (for the steps to be followed by A and B , respectively). Steps A4 and B3 and later are optional.

a) Key token construction (A1)

A performs the following steps:

- 1) choose two integers x_1 and x_2 randomly from $\{1, \dots, n-1\}$ as its key token factor;
- 2) compute $v_j = J(\pi, u_j)$, $y_2 = (x_2)^e \bmod n$ and $Z = D(e, n, x_1, x_2, v_j)$ as its key token;
- 3) make A'_j, Z and y_2 available to B .

b) Shared secret key derivation (B1)

B performs the following steps:

- 1) receive A'_j, Z and y_2 from A ;

- 2) compute $A''_j = H(I2OS(0) || A'_j)$;
- 3) look for an entry corresponding to A''_j in the server's database; if it does not exist, output "invalid" and stop; otherwise, continue;
- 4) delete other entries for A that do not match with A''_j since they are garbage when communication is cut in the middle of the sequence;
- 5) choose an L_K -bit random string r_1 , and then make r_1 available to A ;
- 6) compute $x_1 = C(v_j, Z, y_2, d, p, q)$;
- 7) compute $K_s = H(I2OS(1) || I2OS(x_1) || A || B || A'_j || r_1 || I2OS(Z) || v_j || I2OS(y_2))$;
- 8) compute $K_i = K(K_s, I2OS(11), L_K)$ as a shared secret key for the following communication;
- 9) compute $K_m = K(K_s, I2OS(10), L_K)$ as the MAC key if the key confirmation below completes successfully.

c) Shared secret key derivation (A2)

A performs the following steps:

- 1) compute $K_s = H(I2OS(1) || I2OS(x_1) || A || B || A'_j || r_1 || I2OS(Z) || v_j || I2OS(y_2))$;
- 2) compute $K_i = K(K_s, I2OS(11), L_K)$ as a shared secret key for the following communication;
- 3) compute $K_m = K(K_s, I2OS(10), L_K)$ as the MAC key if the key confirmation steps in d) below complete successfully.

d) Key confirmation (B2 and A3) (mandatory)

B performs the following steps (B2):

- 1) compute $o_B = \text{mac}(K_m, I2OS(2) || K_s || I2OS(1))$;
- 2) make o_B available to A .

A performs the following steps (A3):

- 1) receive o_B from B ;
- 2) compute $o_B' = \text{mac}(K_m, I2OS(2) || K_s || I2OS(1))$;
- 3) if $o_B \neq o_B'$, output "invalid" and stop.

e) Key confirmation (A4 and B3) (optional)

A performs the following steps (A4):

- 1) compute $o_A = \text{mac}(K_m, I2OS(2) || K_s || I2OS(0))$;
- 2) make o_A available to B .

B performs the following steps (B3):

- 1) receive o_A from A ;
- 2) compute $o_A' = \text{mac}(K_m, I2OS(2) || K_s || I2OS(0))$;
- 3) if $o_A \neq o_A'$, output "invalid" and stop.

f) Storage update (A5, B4, A6 and B5) (optional)

A performs the following steps (A5):

- 1) choose an L_K -bit random string A'_{j+1} , and then compute $A''_{j+1} = H(\text{IOS}(0)||A'_{j+1})$;
- 2) make $AE(K_i, A''_{j+1})$ available to B where $AE(K_i, *)$ is a symmetric authenticated encryption function using K_i as the symmetric key.

B performs the following steps (B4):

- 1) receive $AE(K_i, A''_{j+1})$ from A , and then extract A''_{j+1} from it;
- 2) compute $v_{j+1} = v_j \oplus H(\text{IOS}(2)||K_s)$;
- 3) add $\{A''_{j+1}, v_{j+1}, A\}$ to the server's database;
- 4) make $AE(K_i, \text{reply1})$ available to A where reply1 is a reply message.

A performs the following steps (A6):

- 1) receive $AE(K_i, \text{reply1})$ from B ;
- 2) if the result of decrypting $AE(K_i, \text{reply1})$ is not the same as reply1 , output "invalid" and stop;
- 3) compute $u_{j+1} = u_j \oplus H(\text{IOS}(2)||K_s)$;
- 4) update $\{B, A'_j, u_j\}$ to $\{B, A'_{j+1}, u_{j+1}\}$;
- 5) make $AE(K_i, \text{reply2})$ available to B where reply2 is a reply message.

B performs the following steps (B5):

- 1) receive $AE(K_i, \text{reply2})$ from A ;
- 2) if the result of decrypting $AE(K_i, \text{reply2})$ is not the same as reply2 , output "invalid" and stop;
- 3) delete all A 's records $\{*, *, A\}$ except $\{A''_{j+1}, v_{j+1}, A\}$ from the server's database. The deleted records include old records $\{A''_j, v_j, A\}$ and those that might remain as a result of communication errors between A and B .

Numerical examples can be found in Annex D.2.

NOTE 1 r_1 can be removed if it is acceptable for K_i to be a function only of inputs from A , and joint key control property is not required.

NOTE 2 x_2 can be removed and e can be 3 if n is stored in a location in which adversaries cannot modify it even if they can copy it.

NOTE 3 A' can be replaced with A if anonymity of A against eavesdroppers is not required.

NOTE 4 The octet string of A can be the concatenation of an octet string identifying the user and an octet string identifying the storage or the client terminal.

NOTE 5 After the key agreement, the RSA parameters can be updated by sending a new value of n from B to A encrypted using $AE()$.

NOTE 6 This mechanism can be extended to provide security against server compromise impersonation attacks as in Section 6 of Reference [36].

Annex B

Add the following before -- Balanced Key Agreement Mechanism 1 --:

```
id-km-ws-lKAM-1 OID ::= { id-km-ws leakageResilientKeyAgreementMechanism-1(9) }
id-km-ws-lKAM-2 OID ::= { id-km-ws leakageResilientKeyAgreementMechanism-2(10) }
```

Annex B

Add the following before `END -- KeyManagement-WeakSecrets --`:

```
-- Leakage-Resilient Key Agreement Mechanism 1 --

verificationElementDerivation-9 OID ::= {
  id-km-ws-lKAM-1 verificationElementDerivationFunction(1) }

keyTokenGeneration-9 OID ::= {
  id-km-ws-lKAM-1 keyTokenGenerationFunction(2) }

entangledKeyTokenGeneration-9 OID ::= {
  id-km-ws-lKAM-1 entangledKeyTokenGenerationFunction(3) }

keyTokenCheck-9 OID ::= {
  id-km-ws-lKAM-1 keyTokenCheckFunction(4) }

secretValueDerivation-9 OID ::= {
  id-km-ws-lKAM-1 secretValueDerivationFunction(5) }

keyDerivation-9 OID ::= {
  id-km-ws-lKAM-1 keyDerivationFunction(6) }

-- Leakage-Resilient Key Agreement Mechanism 2 --

passwordVerificationElementDerivation-10 OID ::= {
  id-km-ws-lKAM-2 passwordVerificationElementDerivationFunction(1) }

keyTokenGeneration-10 OID ::= {
  id-km-ws-lKAM-2 keyTokenGenerationFunction(2) }

passwordEntangledKeyTokenGeneration-10 OID ::= {
  id-km-ws-lKAM-2 passwordEntangledKeyTokenGenerationFunction(3) }

keyDerivation-10 OID ::= {
  id-km-ws-lKAM-2 keyDerivationFunction(4) }
```

Annex C

Add new Clause C.4 as follows:

C.4 Parameters in leakage-resilient key agreement mechanism 2 (LKAM2)

Examples of the parameter e chosen to meet requirements a)-c) of 9.3.3 are as follows for $L_K=112$, 128, 192, 224 and 256, respectively:

$e=2^{113}+2^{90}+1=0200000040000000000000000000000001$ for $L_K=112$,
 $e=2^{129}+2^{127}+1=0280000000000000000000000000000001$ for $L_K=128$,
 $e=2^{193}+2^{132}+1=02000000000000000100000000000000000000000000000001$ for $L_K=192$,
 $e=2^{225}+2^{182}+1=020000000000400000000000000000000000000000000000001$ for $L_K=224$,
 $e=2^{257}+2^{132}+1=0200000000000000000000000000000100000000000000000000000000000001$
 for $L_K=256$.

Annex D

Add new Annex D as follows:

Annex D (informative)

Numerical examples

D.1 Numerical examples of LKAM1

This clause lists numerical examples of leakage-resilient key agreement mechanism 1 (LKAM1) with elliptic curve domain parameters.^[37]

secp224r1 (SHA224), $L_K = 112$, HMAC
$A (= \text{lrpakeuser1@aist.go.jp}) = 6C7270616B65757365723140616973742E676F2E6A70$
$B (= \text{lrpakeserver@aist.go.jp}) = 6C7270616B6573657276657240616973742E676F2E6A70$
password (= zokang1) = 7A6F6B616E6731
$H(\pi) (= \text{SHA512}(\text{I2OS}(0) A B \text{password})) = 64C0F6239CCA16866612D8E1115B5ADA038D88B2A1376CC24E3B54F308DCBF18256A008ED70342EB5F32BAB141717BEB59B46EAE36D8E50EBA514287CFA66DDB$
$G_b = 038C9C85F629134BEED14A1665662BBFC7F517BDFE070C1E470D2BD921$
$S_1 = 77A29359EA58A369D5F49519334A91C82E2D04A7BA97D56B4B28F9E5$
$W_1 = 033440F4772CD2AA5BB8452DEA433A3308CE6CE8448148135F6E44DD1E$
$X = B7F03B2A8293504BCBE4D10593216B46E0FE3EC3DFA0474E041FE99E$
$X = 020BBDFA70DD45BC4C547E76CE7FF03B4AB32ADA12A52637F82F910D0C$
$X' = 039C4956146DF34530CB82503A0925497761402B7722C71F26C0B0D4FC$
$y = 915186FF1942FCC764FEA417CD728909F5C29419E59273BFC5EBE02A$
$Y = 034E5F87BEE7955E0AFF018DA0D77A12FFFB6C4B130E95602821252304$
$Z = 020A386B68808E33B6DE6A5DF9AF8FA29D4765128CCC2D5E76D6C2FBB7$
$K_1 (= \text{HMAC}(A B \dots, P_1 (= 1), L_K)) = B4989CC5943D6C8A1F8EF04866F43B6B89A70959681DC8A13C0AB494$
$O_B = E26DC0043AA90EBDF33CF4C5B1B1860348D56D2226D0383ED62B56C9$
$O_A = D2F7F179F71D62B9DA5033A5F1096F4EA75E5E24AA6D0A432EE8DD0A$
$S_2 = 05F627B8FA25380326AD512536BA467C8C5B989D4A7B7CE2A163F802$
$W_2 = 02AF9DFB335866BF68D391FBF0F791D195D2EBE6A0FB07AE514E483298$

secp256r1 (SHA256), $L_K = 128$, HMAC
$A (= \text{lrpakeuser1@aist.go.jp}) = 6C7270616B65757365723140616973742E676F2E6A70$
$B (= \text{lrpakeserver@aist.go.jp}) = 6C7270616B6573657276657240616973742E676F2E6A70$
$H(\pi) (= \text{SHA512}(\text{I2OS}(0) A B \text{password})) = 64C0F6239CCA16866612D8E1115B5ADA038D88B2A1376CC24E3B54F308DCBF18256A008ED70342EB5F32BAB141717BEB59B46EAE36D8E50EBA514287CFA66DDB$
$G_b = 03836362FFB02357EFF24F4881D96618B2128F55791A445D67E301A5A67B57146B$
$S_1 = 08B637BA75234719211718326BE28CB3C45EF4EA366DEEBAD2A1738D6A77E327$
$W_1 = 03EDA13583FB00976FA641B29F1DA37D95EC4E38328A3E645A522637C635F7AFB7$
$X = 36B80344B46ACC4185A40A740D8008C47BCF6F5C183787DD3E8CFF1CA38A26EC$
$X = 025460E3BA90D478232E64786C016CDC1CA31B67F9C876CBFF5E59CAD80F417896$
$X' = 02CA2646F82997E01610F25B2BA8858557A193FEF31C4360DBE81537C96D4ECA03$

$y = 78574F0E3861B458291DF3D3935624E873FF9AB8FECD7FB731E8E4E28312C53A$
$Y = 02A509BBD2DCA18C790960A7D6A616A29E9361C5B3E8EDCD5474EDDC03F4FF680A$
$z = 02903FB52457300DC360EE8E29E35C8E2AF029EE2E552F9AC79C7D7414A09BFDFAF$
$K_1 = 642B8E2BAF69CE15311D89111403F530239D324B597998C2E6468F153545BF68$
$o_B = EA9C1114DA052C9946016F3E13E5071F687C0F397FCE48395EB417854F13FA43$
$o_A = 7E44AC7A41F74B739B4119288C00117C4EF697E38E4B4CF9CCA75AF48A220633$
$s_2 = 8674A52EC629B2DB1CA283E9F3C1BAB79A060CA25F8FCB3EFC940EC3A5A6DEF9$
$W_2 = 02ECCBC141C0BD5663378F7F71DD846ADDD11DFEE0160DB8863583680A014A21E7$

secp384r1 (SHA384), $L_K = 192$, HMAC
$A (= \text{lrpakeuser1@aist.go.jp}) = 6C7270616B65757365723140616973742E676F2E6A70$
$B (= \text{lrpakeserver@aist.go.jp}) = 6C7270616B6573657276657240616973742E676F2E6A70$
$H(\pi) (= \text{SHA512}(\text{I2OS}(0) A B \text{password})) = 64C0F6239CCA16866612D8E1115B5ADA038D88B2A1376CC24E3B54F308DCBF18256A008ED70342EB5F32BAB141717BEB59B46EAE36D8E50EBA514287CFA66DDB$
$G_b = 032795D71E027B79FBD173E29AFEC1FEA012EA8E949261351B1B55A057BA2AEB486DAE7864567E295455102A36E80FFABC$
$s_1 = 172728FF24A8DACA76CB35CD452A5B2965566765284188B170432CB308087F694BA5BE9096646BD841A38CDBF303BA36$
$W_1 = 0387B53DFD61DBCA7B713EEE1CD97F906BDDDB51545606982047180ED861A334816B9280C680B7D006CE16A791E6D34052$
$x = 06E32720C444DB089B0FB133C4B76BCB999AF85BE2F0FEE00828F3D2C8F6F461B6C59DD6C50D221BF62893DAE34D170E$
$X = 024F7E422FAF3CE9B6C41D152810F1219275EF2609C2B773FDDA831042547079A81D6422C333176E4BBEA33B1177A91A29$
$X' = 0245E1A1AEF8670486F0CEB1B64365C6C880EF523B74ADB8FBA8E98E8B7262479342852EACBE59C97A5B443DA391F84DBC$
$y = 04AA9BED6A080FEB1AA1989C879EC789FCE09E0DDF31ACE2AD6AAF9B1B74801E5BF4A47FD5C88FC6D340AA4A510D3C2A$
$Y = 02D07170771E78C29960CD8F2C4BF84C680E0E634D626B4354A29E608746AAF6EF0EE8F6F3916D46AEE0542D0A64945539$
$z = 02CA358BBFC9048EDEA3F584105E3461F9DE6BE68F8D6FD36A35C206DF9E83AFC9D84D8EEBFC6A9B5AF26166D5324A2B93$
$K_1 = F053027E04824E247DCBD91922C523DB14936475839F0B5D03FE9D93A6D60129E5C77DEB2219BFC8404BE35805487286$
$o_B = 786C709D048E9E9CEAB0C2E032596E5E708ECE7AD3BA38CD998DE574DF65C413494922D50D2D869D572A5CF563EA65DB$
$o_A = 3E9928F723856EA8A9051C1C1AE5B9DBC5B71235874C03AFD9FF8A7119B001A87E45310899F4431442604878D50C2A$
$s_2 = 37926DC8F0C6DD5C833A9BAC88CBC7B10540C3FD6ED95522C14DF050BFDDE4A55B551D50747EBB03DDFB231AD11FA8B$
$W_2 = 026B99C3D3216E128D04FCACFBE3BD54BA6D60226406EE9789B6040743302C6A916287178C7E0A9CE3AA1CBCBEF63BF7B7$

secp521r1 (SHA512), $L_K = 256$, HMAC
$A (= \text{lrpakeuser1@aist.go.jp}) = 6C7270616B65757365723140616973742E676F2E6A70$
$B (= \text{lrpakeserver@aist.go.jp}) = 6C7270616B6573657276657240616973742E676F2E6A70$
$H(\pi) (= \text{SHA512}(\text{I2OS}(0) A B \text{password})) = 64C0F6239CCA16866612D8E1115B5ADA038D88B2A1376CC24E3B54F308DCBF18256A008ED70342EB5F32BAB141717BEB59B46EAE36D8E50EBA514287CFA66DDB$

G_b = 0301FC7EA5FABE261338268E4D869C85792F696FED0C4E8DF2C5CC2E1A058870AD34F2075F6AA9EB345E5C7E389A1F6DACDC69E7F2E23E2E6F4FE634B7AF04B96C0000
S_1 = 0145C5774E00ECF1B110F2830121B25AF54DC20AB69DCAB9EB178A8503F9BB0149584FAAF65643FEB5D3D7ADBAB368DCCD7F516D01B1225016EDCE45DD3D35A222A4
W_1 = 02001641396A47DF8E7904722C402F3CF28D0195A9E9F01C9F8587E21DF000EA8FE9F8F5AC190B8433A678D977802A06F54773D2D703DC7C70A31F86CFDE98456B7B6F
X = 3415721DBA0048D8FFA0B55AE61A5A26FDFED7ED27338B57CCB727821DAEFF7ADE71FF07696940EDE7C6F0ECE64CC528CBFA2B1719AA7EC87A7203701BF28974F2
X = 0201789EDE6B436290240CD0560C417E026CFC40189E01E7D60FA8B34104D841F59528A5FB26A5B5BA08DA8E0731FAA9517D676E8CC6FD18B3423D472CD02417FB32C
X' = 0201E1254B57E3B19B58E5AC4E8C69951695B67B1A6F871ABE1A09F9EF22531624E6676136F882793306AFC6B6A9C8C2699FA52A8185A1387F061E51951322F662DAB8
y = 349E027B11682752968B5F81D2A0011AEAC948D879E059DD24FAC570459C431B742D6087ACF370C7EF30D1BAAEC6312A799E8A4408B81BC5CAB320F543DF6B0F96
Y = 0300CCBD31FFF6AD192125F1166FA8315F0862DA0DDFA602A4C16AA285042C1357A91412F8BF94F1AAA23096807205CEC8A88F7E49CCB3FE3E2E99687BC000036A0381
Z = 0201DCCEC1D4104F63ECE5733667130E51994AD9AE3326E90778C4D033F24881C105D129FE7188D2A809ED6A200B2B889A7A10FEB2EA1CB6B66C20A61BAE34D29D5FCF
K_1 = 784C12720D21CF9ABE1863130308C215E77A48F33885DAFD0418C18CA5BAF48DBB77B4D1C6CAD146E84BAA09397C4396375A6203C00E658B99680BDF7483442
O_B = AE16DBDB229E54E861BE925F5FA454348D15DA2268D323FE98F8B5907B35FF938F875130116C41672F4AFF74E93769A1FE092A71BC04C5868F4C2139E798E86
O_A = 3EEE9798B58D8416432B59BFE2718EDE5B928FC2FB2879883D81B5965ACFC470D3DA3620CB9A4B5C74D563779F116651AF7EE10D6EF6E4FA3B006F6D4909CC58
S_2 = 01460B413E44AC230CAD3226FA37EF303AC5F4BBB25374FA4D6164A74410F89E53B4DF5F4AAB621EA58765738FF1D622D06CC8D092BC11549E4F457A799A09B6C50E
W_2 = 02009C79B87EB0FF1AB99F4E58EC7D73181B675021FEDA0CE34A60F2AEC8FD7346F6156454C88D473120A021C45EC1105487FB4A5FAD01DCF081455E1F05CC3AEB462

sect233r1 (SHA256), $L_K = 128$, HMAC
A (= lrpakeuser1@aist.go.jp) = 6C7270616B65757365723140616973742E676F2E6A70
B (= lrpakeserver@aist.go.jp) = 6C7270616B6573657276657240616973742E676F2E6A70
$H(\pi)$ (= SHA512(I2OS(0) A B password)) = 64C0F6239CCA16866612D8E1115B5ADA038D88B2A1376CC24E3B54F308DCBF18256A008ED70342EB5F32BAB141717BEB59B46EAE36D8E50EBA514287CFA66DDB
G_b = 03001C0CBE86CE485C9A31E30AE144FA26FBA67A84B9430DAABD6EE81608D2
S_1 = 80CD565B13979070999D2B733B7C67F8998C8DFCE1CFC7AA2ADAC34ADF
W_1 = 02017FD21812430AE35D6F95604E7D31DF4B9F1734F8618507CAE552E7AC4C
X = BEFE05840C788DB83D76A374442F9D83E473E87E7583A57D41E3860DA3
X = 030121D46772E77EDE102BE7F0D87FE4554432B72B418DC4640F28C13DCB04
X' = 030038B925C51C0FDB139A3B9C983A182271AE94B03186AB76C92E0D0CD615
y = 8B58498C6E9C433DE2602BDFDEBCB501D67C54A418D53DCA5A2D39F5AF
Y = 0201A7B1C1E33EA306523FBAC0978109606B3801C9EEF25F06EEF79EFC4074
Z = 0200EFD59D2776243486B7F8A6D70C48901A12737CC8524F016FEB89FDB138
K_1 = 0E3BBDCF9C27AAC8157485433D96CEA88F1195645A7C6B86C79D8B2A4DA8AF20
O_B = E7A8215C6C8113E86197130021D1B3510624B2ACAE5168B6833B143163C92D5F
O_A = 9CBF4ADCD3FC4DE526F520DA805520526AE4162562B8D279AC4F8191953C2BCB
S_2 = 5EC18601AEEC38217E68A867C2FC8F66A0FD6E065F246792C2AAA3F07C
W_2 = 0301ED6A3947172912BC8DBB893691DDFAEAA8AA3CE378F6DE825838B09782

sect283r1 (SHA384), $L_K = 192$, HMAC
$A (= \text{lrpakeuser1@aist.go.jp}) = 6C7270616B65757365723140616973742E676F2E6A70$
$B (= \text{lrpakeserver@aist.go.jp}) = 6C7270616B6573657276657240616973742E676F2E6A70$
$H(\pi) (= \text{SHA512(I2OS(0) A B password)}) = 64C0F6239CCA16866612D8E1115B5ADA038D88B2A1376CC24E3B54F308DCBF18256A008ED70342EB5F32BAB141717BEB59B46EAE36D8E50EBA514287CFA66DDB$
$G_b = 0300A28B50B8139FE286B2D2E2C0472F226C08A73E5B46410DC3A855A95E51FC5936EE4CBA$
$S_1 = 0189B967F2E0578BFF8FF7A91E86AB06C5B8FEEE98755F650C785858977F4CF1EACB3566$
$W_1 = 020134C6F0D6432C45E17344F56AC1BD32E4773EE5E7FC154B615F70E9232884A6ED89AFCC$
$X = 6D6EA2F06155FB6EF0A501F700E2D5564168A42A04D0982313155CA99F0DE873858272$
$X' = 020797C2BD11D4B68D95C9339B844137C7271121124DE28EFB74591E8E960DF00CBD0DDCD8$
$X' = 0304A03C7473B46D6BD7F317BFDE936D12840118C33CF87CFD42EA5D6C05929C6E4C58846F$
$y = 031C8259C15815B83B5821D6769DE7D1A5749B8F336914EDBB073EB67F26CA36B4F6BED4$
$Y = 0200D87675C56855A645233E8732CBCD2D0AEFEFB7F432887517A10186A69F6D750B0D3A13$
$Z = 02077C8D10FB2EC7E26F5A25DB4875D9C31B89C90D5609BD0EEDDE9562059AA5DA42371E4E$
$K_1 = B54951F161350F5DB64CC5C9BA5D8B504C8D11F53622779AA75BFE705582C647D288FADEE074199A038EE88976EA8093$
$O_B = 8A410DE35B583BD661518CF98D953684E97CC0FAB6149452417277F842D25606C5485C20A27662EBC06F297C37329BC2$
$O_A = BD7CD009CEE8185B7C6D22513F2BE610A69C9AFEADA6BE24936EEE61073CFE6B5D6E5FB22A865F1F6280886745AD24AC$
$S_2 = 02805D7E24ACBC7677DA4489A68EABDD7649FEE82C9369BF2CAAA17A7619BBE65135DFD9$
$W_2 = 0200B77B97EE94A9D75530C47059A6B3BC88D871F86ECC2B7DD4611E7C0B02619CB6501$

sect409r1 (SHA512), $L_K = 256$, HMAC
$A (= \text{lrpakeuser1@aist.go.jp}) = 6C7270616B65757365723140616973742E676F2E6A70$
$B (= \text{lrpakeserver@aist.go.jp}) = 6C7270616B6573657276657240616973742E676F2E6A70$
$H(\pi) (= \text{SHA512(I2OS(0) A B password)}) = 64C0F6239CCA16866612D8E1115B5ADA038D88B2A1376CC24E3B54F308DCBF18256A008ED70342EB5F32BAB141717BEB59B46EAE36D8E50EBA514287CFA66DDB$
$G_b = 0200708C13AFA264704D56E9E96049E700352D76249BB30AC28EFAC3046B62A03D909FBA4D0B0416A1A75EFB48EC1DFEC46A480C99$
$S_1 = E22E2D8868A7331EE6C9DDF3A5BC71D5833D48ECB2AD63E30C0B3F3242F4AD712AE3AB5325D5A3E22474A536E0A7522AB1EF22$
$W_1 = 0300E2AB649F26205F689C2C8C860CA3B95A2DAFED5867C306D3540A9ADF1BDA229BCFBA6BAA46A0BDC10FD3E506393B472639538F$
$X = 88B91481A83B9C19CD4C3DF3B029419A2DBCFA934AB26594981206629F3C6EE9B6110EE91B547A5C85E0BB501D8A12A65548FF$
$X' = 03010D5C610DD654DD3A39ED05CAA6CBA5B75E720F06AFEA0D54CC31C93414230E7673FFD945C755873B55CDA040530460013313C3$
$X' = 02017330B65524EB502E5C818954320AFE000C39DB6E9CFDDC57E73E20ED5BA0E6CD3F8B8E4EF8F3EA0DB15D62025FD16E52ADFBD$
$y = 6E67CB1AE43571006FD3005657B8409926F40BBA28E1E3FA171B31D125C9AEA35F6374D95821526482EE57B81CDDCC4DD2CFA2$
$Y = 0300879FA3A9295CA8581F878B7A8945868C223F00E007B2C587A0ED727BD06CB845D2D76F9F0B3113E0D840A94B685851C8F944DF$
$Z = 03005B1A6089322D7754BE58303F775967263E113DBA277A12F485FA067FF93139F78F526B58AFB5E54B4E81E4D85CB85BA6C306E3$

K_1 = E30D0863036B3EBF9E271AB0F8A32219368E5D946054F57E97DE368F8CFB3D23519BCBB16B3CA09FC757B EC803877FCD44703F2346327F319128F6A7F923CF95
O_B = 0CA98948D9D7F2A9A05EB156AD51B4CA6389D78AB2FBE3069389C3BBBDD6D290C275EE504E50C4D4B2FDB 709954B9BECBFB65F84FD34036CD0CB294AEE513F4
O_A = 14E97AC5FD6F0C4A43E107E70F505E6CBD70C1F7ADE5E8B4E1EBC6CE8CEE883E14E65AD49A154E2641652 35D9E15BF0E9E5BF34024ED3124D10D80141D6BD863
S_2 = D95C91FCA449ED36273C6708A132DB34C7F93DF3DDFCBEC1D21C99313397FB308E8D4CAC53D9F8CEF4BD3 85E91BD2DA8BE7766
W_2 = 0200986D96C4D23EB65C8915EC257C29A0F35A2EC5B4D07B6EC0F80175636421BC023AD2FAA3F6CAA297 868D5F5D6E09500A71191F

sect571r1 (SHA512), L_K = 256, HMAC
A (= lrpakeuser1@aist.go.jp) = 6C7270616B65757365723140616973742E676F2E6A70
B (= lrpakeserver@aist.go.jp) = 6C7270616B6573657276657240616973742E676F2E6A70
$H(\pi)$ (= SHA512(I2OS(0) A B password)) = 64C0F6239CCA16866612D8E1115B5ADA038D88B2A1376CC24E 3B54F308DCBF18256A008ED70342EB5F32BAB141717BEB59B46EAE36D8E50EBA514287CFA66DDDB
G_b = 0207BBB9AB624978D634EAB74C381AE69EDE5377095CDB8F68E111FBCB4DC7898C37E32A8E50B3CC1AF5 177E6876EC5A56C953C493DB21603EC8DCBFB210F0354824B6173D2550FDD
S_1 = 0260AC86F64047E56070B76A0345DFB594AB33BFDF233554AA8B0B9413FF6620A2D4E50639DD0886FDD17 7DA5E7DC7353E5AB8A0B3B1699F0A0697742DCD2C60CEE20C331219780
W_1 = 020349A54418ADAE8F71EB4F5339023FEF1922C2FB5AFF86AE7C01AFBDC9FAC2AC82ACDDCEB259BB740C 6EEE530B189777215CD4AEA995C7060A15D795042266DAAC4B03608FFDFBC8
X = 017E33C05B015B4A1E7ADD458C08BCCBECA494525987BF81008BB2F570E28AC50C9DC1A6E1A688F9D7E4CB 21DE6177C8EC4B88DC293FD6E36684B0FFF91163133E4935400A75761E
X = 0204E4685B756105248DB2D31870E8162C3488B620BF9CCFA9A484EB15677582036132B21C1099A20BE927 221F6BD070CB26C53584A5BF9CEC2C6FA7AEAFA0B48497E266FA3E99EBAF9
X' = 03013417D0989691E426E081AF15E177518AACF9B37A57496B6342616BD5968CB7DBC47F40A24451E018A 61F3F73A56C4E816C784D6F3712018CCFD1F8C8AB6A75618E36B81FEB6B7F
Y = 025A9F76667645F39A4B2EBDDEBF55249E9135D7EDABECB69C8E2089E5BC2B17E16FBCDF1F61F4C07F310A AE6FAE4236FF2FB5B01870777ABAEB0FF8B6C6FF65CCDFE9FDF05E3E9
Y = 03004A4DF3A5337772EAC17E0B4DB1D4AF5293C74868C8EA0859FB1867FA9C567A8B49EF877646420A8230 39E446D2EE4EC461A577FEBEFDC43E74016A37A258356FC95AD746D56786
Z = 020252EE40059B7DF364A605176EFADD349495D85DAADBAF82C3340E369AD6A520053C2BB1E0973228D521 698F83CE83E6856C90D8B05AFAC6CD9877299226769CB1BB807D6DC7A01F
K_1 = BA7D494A386089990A39C5C2064AFDD263AFB4038B5A2E2AEB9875F0409A5606C8B18064C1F288C4FACD6 436FCC449FCACE685626B8DA5C3C635DB50FC79AEF4
O_B = F3BFC7CD8CA2BDF01EABE89BDE570D524808473DE20C6A679FF4C142D959BF47EC76F06E83A9E5854F054 05966FAE07FCADD9D2D3DE3A1887C42A70A4D8D5C4F
O_A = C715CE1E8CA379F71AFCE59198128184A51FA2EB31F621317CAF0B248F9BAD30D0C65DA73814F2BEA5458 3DF970C5F8D988195CF97440EFA9E06C5ED84ABAB8D
S_2 = 0260AC86F64047E5C18A0497B18FDF47BD60F821B7BA96A7F6D18E26D1FF09CEAE8CDC1756BDCA316DAEB 2E018855525BD9AF5DE7140F4944872604FA1DCB1E556369203B20C3834
W_2 = 0206390807781A7BC0C8BEE076C88B321DEDCAD6BCAEDD76BFFA6EB67011ED4E77B950B3C040A615C482 1A2257C4CF304FD0D606859ACABA891BD4A2810C2292B4C261F1447F99CADE

D.2 Numerical examples of LKAM2

This clause lists numerical examples of leakage-resilient key agreement mechanism 2 (LKAM2) with the parameters in C.4.

e = 02000004000000000000000000000001 for L_K = 112 (RSA-2 048, SHA224), HMAC

$A (= \text{lkam2user1@aist.go.jp}) = 6\text{C}6\text{B}616\text{D}32757365723140616973742\text{E}676\text{F}2\text{E}6\text{A}70$
$B (= \text{lkam2server@aist.go.jp}) = 6\text{C}6\text{B}616\text{D}3273657276657240616973742\text{E}676\text{F}2\text{E}6\text{A}70$
$\text{password} (= \text{zokang1}) = 7\text{A}6\text{F}6\text{B}616\text{E}6731$
$H(\text{I2OS}(4) \text{password} A B) = 45\text{AEDB}90\text{B}740\text{E}9\text{DE}9\text{CA}7526\text{A}7\text{EFDADDBD}6\text{E}40\text{F}6628\text{BF}15\text{DE}14288687$
$A'_1 = 87\text{E}73\text{FDEF}41\text{F}684342\text{D}1\text{A}1\text{B}898\text{AEFB}7\text{E}7\text{D}5\text{CBA}39\text{AC}5\text{AB}757\text{EA}194\text{B}36$
$A''_1 = \text{DE}1\text{AD}38862\text{B}96\text{C}40\text{FB}702\text{F}3539644\text{EAFDD}5116\text{DB}4\text{D}32\text{C}60\text{A}81\text{F}6110\text{E}$
$n = \text{BB}0\text{DDDD}835\text{E}966\text{C}0\text{F}03\text{A}215\text{ABFA}7998\text{AAC}98\text{B}9\text{C}2\text{C}72245\text{C}6\text{FEE}4\text{C}1\text{B}71\text{C}0\text{BA}39\text{BBF}6\text{D}20\text{D}3\text{CA}39\text{CD}62\text{E}0\text{DB} \text{EE}89\text{A}490\text{D}0\text{ECE}2\text{D}87\text{CC}6\text{FF}6\text{F}9\text{DCA}313543\text{DB}3\text{A}61\text{E}14\text{F}6\text{B}4\text{C}10187\text{A}15\text{A}4\text{C}6\text{A}69\text{E}7\text{B}35\text{B}3211\text{C}1\text{A}3741234\text{F}94\text{BC} \text{26C}82\text{F}665\text{B}27\text{F}70122\text{F}40\text{CA}0\text{EDB}13\text{CE}1\text{D}04809\text{FB}2\text{DA}53\text{D}4\text{BFC}11065696\text{DC}36\text{A}2\text{F}8466\text{E}7\text{DC}7\text{C}741\text{D}3\text{F}061474\text{F}3 \text{66BE}172757350\text{A}3\text{C}15\text{D}41\text{FF}78\text{EB}163101414\text{DDC}8\text{BD}3001\text{BE}93\text{B}0\text{B}348\text{D}4\text{FCBCF}59\text{C}902\text{CC}76893\text{FFC}1\text{BED}277\text{F}6\text{C}5 \text{FE}86\text{BE}9\text{FF}69\text{CEB}0\text{C}05648977\text{ACEB}60\text{F}169741\text{F}08\text{B}64\text{F}7983\text{B}2331364\text{C}0\text{EE}274\text{FB}521\text{BB}6\text{AD}4\text{E}1\text{D}0\text{B}3\text{B}9\text{F}6\text{EC}65 \text{82B}61\text{B}6636\text{EBAD}9\text{EA}8\text{A}77247\text{E}16\text{E}80\text{C}4\text{BB}228\text{D}4\text{A}5\text{B}62\text{BACAD}716\text{EB}249343\text{E}683\text{CA}3\text{E}81$
$d = 900\text{BC}7\text{F}2\text{D}740\text{FC}02\text{BB}42204\text{DB}6\text{DA}1465\text{BB}8782\text{C}28\text{EB}66\text{F}070\text{D}8\text{EF}151\text{B}9\text{A}3\text{BDDAE}77\text{D}8\text{BE}832\text{C}5\text{DE}693118\text{E} \text{A}4\text{C}66\text{F}3\text{F}4\text{D}252\text{E}6\text{FB}47\text{F}6997\text{E}7\text{C}0\text{E}0232251\text{FD}6\text{AD}0\text{F}363\text{CD}53\text{AA}4\text{BE}2\text{BE}7\text{C}60\text{ADD}8\text{F}8\text{B}803\text{D}76\text{B}9964\text{F}7999\text{E}586 \text{EE}7\text{D}5\text{B}49\text{B}43\text{F}72887\text{A}4\text{D}917\text{EBE}5\text{C}96\text{DA}5\text{D}22\text{D}7\text{B}7\text{BBA}6\text{D}26\text{EBA}687\text{FD}7\text{AD}7\text{B}24\text{A}563\text{C}8\text{EC}403\text{D}29\text{F}475\text{C}3705\text{AAC} \text{F}39331\text{E}39\text{A}6876\text{F}85\text{D}621\text{F}5853\text{D}4\text{BEC}23198100\text{CBEE}39417\text{A}4593\text{CEFB}97\text{A}64\text{DBEC}244\text{F}4\text{FD}237\text{CBEEFC}8\text{DCC}649 \text{4BE}22952\text{DAF}68\text{F}64543\text{C}347\text{D}090\text{A}8327\text{A}5\text{A}66183\text{CD}1\text{E}8\text{E}5\text{DE}86\text{C}7\text{F}59\text{A}67\text{C}5\text{F}0\text{FE}092310094856369315534\text{F}94 \text{025AD}3\text{E}731467\text{D}241\text{B}301\text{D}56\text{DCD}2\text{A}3\text{CAB}0\text{F}12379\text{E}1\text{E}72\text{E}82821247\text{A}4\text{F}570\text{C}4\text{E}526\text{CD}99$
$u_1 = \text{DEFF}10\text{A}3\text{DCEA}53\text{B}9\text{CDA}7\text{C}210\text{C}1\text{E}9\text{AA}0\text{DF}590\text{FF}8\text{F}96\text{A}4\text{E}280772\text{D}29\text{A}5$
$v_1 = 9\text{B}51\text{CB}336\text{BAABA}675100907\text{ABF}1407\text{D}62374\text{F}0\text{E}9\text{BE}1\text{BF}75\text{E}6305\text{AF}22$
$x_1 = 90\text{A}25\text{DFA}4\text{B}7011\text{F}513794\text{F}8\text{DC}539\text{CAF}8296\text{D}1\text{AC}5734\text{B}03262143615\text{F}1\text{BAB}4\text{B}95\text{A}06\text{EC}95046\text{C}4\text{E}15\text{DF}0\text{FC}6 \text{7D}67\text{E}63\text{EAD}2\text{F}4\text{A}85\text{DF}121481944\text{CED}4\text{CDBDE}8\text{FF}4\text{DF}40\text{CC}0\text{FEE}82\text{F}34\text{D}16\text{B}4017\text{E}1\text{D}49\text{D}86\text{AA}29\text{B}34\text{EBBBD}4253\text{E} \text{9A}516\text{F}4\text{D}2\text{DD}17\text{D}6\text{FE}9\text{D}92\text{D}6782497\text{A}45\text{F}583\text{AE}96\text{F}708588\text{EBD}436\text{A}2382\text{E}7\text{AD}520786\text{A}6\text{C}1\text{FE}398\text{F}9038984\text{E}5\text{C}6 \text{FF}76\text{DAB}893002\text{A}2197\text{C}41\text{F}7\text{D}6768\text{F}6\text{E}24\text{E}69\text{EDA}12336\text{FCEB}7\text{EF}67\text{C}59\text{E}64016\text{B}88\text{C}26\text{BAC}81\text{D}443\text{A}6\text{B}92378\text{B}8\text{A}5 \text{67BCB}38840801\text{CE}3\text{C}10\text{B}2\text{CC}1\text{E}14\text{D}27\text{FEA}87\text{E}724\text{A}1\text{E}60\text{DD}99\text{F}066\text{A}2\text{E}46858629\text{C}827\text{D}0526\text{BD}8\text{F}981315\text{A}34\text{A}4\text{F} \text{226C}31\text{C}9\text{E}3\text{D}782722\text{BBA}6394650\text{ECE}5\text{E}186\text{F}77\text{F}31541\text{C}33352\text{EB}408\text{C}7215\text{A}5\text{AA}860028\text{C}$
$x_2 = 49\text{BD}832\text{F}7\text{E}7782027\text{BD}193619\text{BA}875\text{A}472\text{CF}60\text{AAE}58\text{EBFA}08\text{E}49\text{FD}74\text{A}382\text{D}858366\text{D}199922743817\text{D}72\text{C}4 \text{DC}628\text{ED}3700\text{FEB}4\text{A}00\text{DB}5\text{FD}78\text{CC}871\text{E}48941\text{A}1\text{EF}09\text{EEDD}5\text{A}242317\text{F}7\text{D}7288\text{A}43\text{FF}791\text{C}31\text{BBD}6967\text{A}1568\text{E}0777 \text{3978}1842\text{A}5307082471117\text{A}3452\text{E}8842\text{F}7898\text{C}9\text{CA}5\text{AD}01\text{CC}57\text{B}28\text{AB}0\text{EF}92\text{B}3942\text{EB}3\text{ED}76856074\text{CC}8\text{DC}428\text{B}97 \text{E}1\text{ADE}4\text{C}8\text{BD}8\text{CBEB}4\text{F}86\text{D}4285\text{BAD}8\text{FF}950\text{F}3\text{D}7286\text{D}4188\text{FFF}9\text{E}6381\text{CB}2\text{BC}463\text{E}4463\text{E}413\text{F}01\text{B}77\text{AB}969\text{D}7\text{B}5627 \text{A}61\text{BFE}88\text{F}541\text{EAC}8\text{B}89\text{A}8549\text{A}3926402\text{C}433777\text{AC}57\text{A}5978\text{C}89\text{B}550\text{FAB}723\text{E}09\text{ED}0484906909232293\text{AB}76\text{EAA} \text{935ED}4\text{A}50959\text{D}6\text{AD}2\text{A}307\text{FD}6\text{E}04542798\text{E}6\text{C}24\text{D}0785\text{E}4911\text{FBB}83822\text{BAFB}5\text{C}7\text{F}0\text{CB}931\text{F}$
$y_1 = 96\text{E}8259\text{D}67\text{F}21\text{A}85678\text{E}8\text{C}1\text{E}5\text{D}5\text{DE}247\text{CC}4\text{E}29562\text{A}8838\text{C}18409\text{A}94\text{DF}453\text{FC}72\text{EE}02\text{ACECD}7812\text{A}5\text{E}4\text{BF}5 \text{E}31\text{CBE}6595\text{B}76269\text{C}0\text{E}9\text{F}5\text{DF}5\text{BCE}86\text{D}05625\text{C}7822\text{F}41\text{B}4569\text{A}57\text{E}10\text{DB}612\text{FE}4127275\text{E}59\text{BEE}0\text{F}80\text{BF}34\text{B}9\text{DFD}6 \text{5846A}65\text{E}87\text{BB}9\text{D}33250\text{E}57952\text{DB}0324994\text{A}9\text{B}3\text{F}236\text{F}3\text{A}1\text{DA}1\text{C}84044183596\text{A}464\text{C}61\text{C}2\text{F}9\text{BD}0\text{C}95\text{E}221\text{C}4987861 \text{D}7197\text{F}6\text{B}35\text{FBE}14\text{B}9\text{B}7\text{B}5\text{B}4\text{F}2\text{E}537813\text{EAC}3\text{D}8264\text{A}762\text{D}2\text{FAE}28\text{A}1\text{BD}0\text{D}94\text{DEC}98\text{CDAA}954\text{BEA}25\text{AE}9621\text{A}4054 \text{3301FF}9\text{D}35971\text{C}83928\text{B}5\text{F}2\text{AF}27469\text{ABED}085141\text{E}834\text{CFB}93910\text{E}50\text{CA}238\text{CD}289\text{F}105210033778\text{DDD}836\text{B}8\text{B}96 \text{35B}821260\text{BB}73\text{B}002\text{D}78\text{F}6\text{F}2\text{C}4\text{A}870\text{D}7\text{DB}253848\text{AFD}0530\text{BC}1\text{FCCC}5\text{E}10\text{ADE}7713\text{C}4850\text{A}$
$y_2 = 7\text{DF}9\text{DC}446\text{A}691\text{B}3\text{C}8514\text{A}502\text{DA}0\text{F}733\text{A}6\text{EE}3\text{C}3\text{C}59899\text{A}8\text{E}6345\text{BDED}78\text{B}8\text{A}0\text{C}737\text{D}564718042\text{D}95\text{B}055575 \text{68680}10\text{E}2\text{A}63\text{DF}17\text{BAD}02\text{B}28\text{D}585\text{F}9\text{E}6\text{F}85\text{DF}797\text{ED}8\text{B}2713\text{D}61\text{B}08\text{E}0817225\text{B}4\text{EDE}3\text{BEE}7791\text{A}0947\text{CA}4\text{D}4\text{F}0 \text{61281A}ED58\text{BD}0\text{C}ACB3\text{E}850\text{D}64841\text{AD}322\text{AB}9\text{DCD}4\text{BC}3083\text{D}490\text{F}1\text{A}9\text{B}8\text{E}5\text{CF}75\text{CF}0\text{FFC}999139\text{D}3716\text{BCA}406111 \text{C}3\text{B}1\text{AD}7\text{F}6\text{D}5637\text{CE}0\text{F}710061\text{C}442\text{E}5\text{FB}10\text{A}09\text{F}279\text{CF}210\text{CE}499\text{D}19241529\text{E}380\text{CC}4\text{BD}5930\text{B}5\text{D}8\text{B}888110\text{F}096 \text{8AAFE}1\text{EF}2\text{FBD}79746\text{B}205997\text{B}8437\text{ED}77\text{A}0\text{A}17987\text{D}2\text{AA}874\text{BA}753\text{C}3\text{B}82\text{F}7\text{AB}12\text{DB}242\text{FA}1\text{B}9\text{C}18317\text{ABE}4\text{E}61 \text{DB}93522\text{C}940\text{A}68\text{A}274\text{F}362699\text{FC}87\text{AAA}9\text{D}454\text{EDEBDD}13\text{C}1\text{E}533805\text{FD}1831084\text{CF}858745\text{E}52$
$W = \text{D}07\text{DEDBDE}93\text{A}7\text{E}376\text{A}50\text{B}05417\text{B}35\text{C}62\text{E}92\text{C}5777\text{CBDAF}44\text{FBE}90926\text{F}$
$Z = 96\text{E}8259\text{D}67\text{F}21\text{A}85678\text{E}8\text{C}1\text{E}5\text{D}5\text{DE}247\text{CC}4\text{E}29562\text{A}8838\text{C}18409\text{A}94\text{DF}453\text{FC}72\text{EE}02\text{ACECD}7812\text{A}5\text{E}4\text{BF}5\text{E} \text{31CBE}6595\text{B}76269\text{C}0\text{E}9\text{F}5\text{DF}5\text{BCE}86\text{D}05625\text{C}7822\text{F}41\text{B}4569\text{A}57\text{E}10\text{DB}612\text{FE}4127275\text{E}59\text{BEE}0\text{F}80\text{BF}34\text{B}9\text{DFD}6 \text{5846A}65\text{E}87\text{BB}9\text{D}33250\text{E}57952\text{DB}0324994\text{A}9\text{B}3\text{F}236\text{F}3\text{A}1\text{DA}1\text{C}84044183596\text{A}464\text{C}61\text{C}2\text{F}9\text{BD}0\text{C}95\text{E}221\text{C}4987861\text{D} \text{7197F}6\text{B}35\text{FBE}14\text{B}9\text{B}7\text{B}5\text{B}4\text{F}2\text{E}537813\text{EAC}3\text{D}8264\text{A}762\text{D}2\text{FAE}28\text{A}1\text{BD}0\text{D}94\text{DEC}98\text{CDAA}954\text{BEA}25\text{AE}9621\text{A}40543 \text{301FF}9\text{D}35971\text{C}83928\text{B}5\text{F}2\text{AF}27469\text{ABED}085141\text{E}834\text{CFB}93910\text{E}50\text{CA}238\text{CD}289\text{F}105210033778\text{DDD}836\text{B}8\text{B}963 \text{5B}821260\text{BB}73\text{B}0\text{D}3557\text{D}2\text{D}15850544\text{E}80303\text{D}8\text{A}2\text{B}06193\text{A}54\text{C}243\text{DACE}5\text{D}2\text{C}6\text{D}2551778$
$r_1 = 30655322\text{A}2\text{C}0\text{EF}24383\text{D}7\text{C}067\text{E}5604\text{C}31734\text{F}2496\text{ACCE}4\text{B}82\text{EC}69367$
$K_s = 987\text{D}985\text{F}935\text{BCA}9\text{B}8\text{A}8\text{A}9\text{B}957\text{FE}86\text{E}17\text{A}54258\text{C}6709\text{B}452\text{FFEE}98\text{ABB}$
$K_i = 8\text{A}8\text{DA}8\text{F}8\text{E}2\text{A}5\text{A}423\text{D}7241\text{ED}5\text{A}75\text{A}098\text{FC}2\text{BA}4\text{A}5\text{AE}4\text{F}4\text{BC}6\text{F}03\text{F}915\text{F}02\text{CEA}5\text{ABC}$
$K_m = 129\text{E}32\text{E}1\text{A}344038\text{C}10\text{A}4\text{C}0\text{F}362\text{F}8\text{EE}88\text{E}4\text{EEB}17\text{D}060010\text{E}56\text{E}62\text{D}415\text{A}7995060$
$o_A = \text{BD}5031\text{C}6826659\text{E}0\text{E}67\text{B}013\text{D}14\text{BEF}2\text{A}46\text{C}235\text{DD}8816\text{B}9564\text{DABBE}2\text{F}2$
$o_B = 1822\text{C}7497\text{A}6\text{D}1\text{C}62001\text{ED}42017279\text{C}28430\text{BF}9259\text{E}7\text{E}9\text{D}16\text{DF}75\text{CC}9\text{B}$

$e = 02800000000000000000000000000001$ for $L_K = 128$ (RSA-3 072, SHA256), HMAC
$A (= \text{lkam2user1@aist.go.jp}) = 6C6B616D32757365723140616973742E676F2E6A70$
$B (= \text{lkam2server@aist.go.jp}) = 6C6B616D3273657276657240616973742E676F2E6A70$
$H(I2OS(4) \text{password} A B) = E8F2C5A73E78E95ADE261F29CE9ABB008E4BABD2B8B1CA6EA2C52005CB2C705F$
$A'_1 = B83D73D145CA980A5C4D69D83236205C58B436668CDAE250E26DCC073475F9A2$
$A''_1 = 8F3B63C968E2E24BE9AB40677BFB7D3F1EE68FEF9B16E8C35F23B101C13FD0DB$
$n = A9C583F716E704397B805A482B4C150223D1CEA6BBCDC878D8EE254D6A10B3111C322C07C89057CD5AAF326E75138227FB6D0B7FB5DB3CE202A34D5461EEE7813B4DFA356E9890C4843369B93D787CFB01D7F62C752A4B50F9B194AC36D19ED9CB64B29F30E795572F9354785876597F71B03FAD997CB57499B96498C7CDDF4DC236DAAEB52BF3087107FA52749DC354DF60AC4A96C9012CDD6E7FF07203B3578D3CE716B787FE911044D0FE289EB77942437B88DF6ABF9859FB33A53725C4AD36F03328AD07F7459BC82679CFD109FC2BC44D4812380CAE9152D8D453CAACB8F85F6FD029380F745739FB65417D5E732DE54478762A5D68261A03E30BCE7C24880B1501BE7728F3405A616CBA966B5BA210F340A16784EA41FD0129BA2AE915FA8C8C7FBCC9BFB3E09FE56A08A6A3FEDB4B1A29E08BEF0461F10A53B5B3E998AB0928094038C5B4A18F4E8D89694857ECAE8FEBB110E1110E06B33000F3DDE6E6CAD39DF905E1D57C0C382333778D36BD5C247DB02E25017E2232316C21$
$d = 77CE26735E4EFEB4C0C542F42CF47CBE56454739C991AFD85405DC1655733BD7EA1EAAFBC7964DEE11FC666CE4A56416B0E0FD4C5F3635B29EE813E9D1947C8F3CF8922FFD4E83A238026962652AF6EC3A14F70D801385EF99E056285E3C42E7E5A10A7E9B69521C837D29624BB2B09E51EBED8927E005597D7A0A03F39AEBD4D23BA331CFAB88D2D4188757F3B1B89BD878BB7CC2D88076A41279262E9457B047CA9900FAE7258388DF6CAD36A3D3A8FD44619DB02CE54C86369E44122B4CE6098E3A769BE44406FE93C1E50DC2AF99E9F19F2F66F07AF47716BC0FACD712CC8A43640D6D5E0AA66773D3BA7FE0BE3AB4B5EACCE8E643121D716EBED7C40380EA23F3DAC09948CFF56EC419AF19598F616A756AA8423F7028509D2222E89B8A155DDE689A508EDE33468B0E8B7964730AA8B544887CA1FB0B4CF8E6B43311F89C096F92D5711FBFEDAC0E7B974DED09182A7F6B9C1A4B35A393639F0A6DC3A302DAA91E0EA73CB74F4813F4487686A5051FA36F6E81E1B38702B1380003A9$
$u_1 = E66117C724A338F4BE799CBB62BDF59840483D56071125D6404975ECE321015$
$v_1 = 0E93D2601ADB1AE605F8392AC2744590A4F2807D8C0D833C6C1B75B051E604A$
$x_1 = 5C6FA7C304D3963962F88FBD931649BFA6AAC95C119C548FAD411390D09E864BFEC3D5565992D8055599F50B85B13A51BF2AA57BCB5073AE3ED01C05B4AE09EEB0E6C9CF78250985462DBF6327A99115D582C832F4C86B6A840B3594D48B0D4E08FB0782D755A6B1E64CE424C95DFD0C9A4E73AF0F142DF8FC0BDA4223A11A71316F9EAD89794B02F8D5A839BCAA65C22D60C066B6CAFF7DE69F1DE1BFC9B2BA3F84F300C444293477AC85A96740DF7580F3EF90E207129F1A2AE8E7B9EBB319DBDD90348AD28088BC4C26CE70B6B5058009FF0847EB1EF223EE0B87B972A7CCAED0FEA345595D1120AA6A4BEB967EB4798A89F9247EBA8F523AD7F48A469844A9124FDCE243CD4E923AFC24AD0B87EE380991E45D4AE3F49867C936F8EBA75EA7550FEEDE221A6FBCC2ED4A746B139BAAA2DD5DC73749C544FBC356C7F976D3E5B8775F4689C41EE1E74CAD1B649CBABD35747D76694BAD48F0CDEBD5AAF362BDC2540A97D7EC74801D89B16953E263339A278C619421CBA4BE698A5B177272$
$x_2 = 98FD69C9B7BC99BC3BC5BB8654A05FC2579275817F7623C327BEE5E1ECB6380A709905BDE1F13678268E07554C099C6E06BC9B6751C994AA42B604CDC3812CBE2ED098C9CF00741ADF1E982FEB3E20775AEF65416EC43289FBA3020A88FD630413C79F232CD5E53B28DEC978710EBAC9A9687A7E0D396591322BD89DD99027379AC3B5FEE8C0737449344EF23D5EAE39664B07ABA081B87074FEDE1E3F547BDA679DA472B2E7490E8FD07617CE8765C1E1292CD540089FFFC1155B98F8E97D686144D3F2A2793E08E417A48488819801533037065B1FFCFC6BF5E5582A912FA06564FEF4A21B1B5DF62262BE274F6B375280DF05BC904D32D5D6D86BF1FBE898D18C0D1947D2F39E8D997BD3B48C3A1790BCB37D9A31A48DCB05EB6F08244EF44AC8021FF2FFB277F66352A8CACEA5403DAA590B2ACEED664A1E8D757D3050023E5050EEA050B4EB0A65084DACA11BA7EB5FF557322E8CD36DA51B27CDCEDEB483DFA3F73D7A7523CE30405BBE584FB0B245DD079B7DF38EFD7F1561BC5$
$y_1 = 7D8EAC856546CDB16684FAEC8E07D4A0D84B9DA80077CC27ABF42858805DD6CD65FDD3D5747D5FECB9A43FA1D2F465240657248A475A097A175088872989841A0110DE638A2EB09C68FD93552B9FA092A22DD9A1A2F94E95BF426303682C6B2ED6D1107274C767D43DDF6C4081BBB3400026ABAB3FD81FEE601166ECE7DC15E60878825842068DB34D161F6312A371F727BE9D75B0A99E8E2C31433ED48F905ED7D727C81DCBA3F4D2FA3147DB71FC7B9EE8DD0C8621F617ED58DB6A5C2C14DA4556329F08688230C1321EAEBB3A7BA571D45B70CE65485555F810C91912DBFF2887468BF3AF37F9DB41999500BDD67F29ADD95C23486EB0E0589B14EC675B54BF5D836F1E23C3EE2F2D681631B7B7AB12C9B59DFDB5460C611F35D8F2A38A97E0F90B6D1575D475F09CF973512F6F60B49DA9A1F30378007B65FD4C5D452EA6FFBA7DCC29B5C02E320A629D25BAF54AD1EF108538A270F2E70256E8853F1D76D186928E2A15420FDC80A23825F25CC449CCEB2AB8B0DD46D6FAF68FD2C9552F$

© ISO/IEC 2021 – All rights reserved

$n =$ B5A4678602A7AA2B1F3290854AF40C8B99ACF9BC5787B9CE1349E9F27A8A845ABDE5693FF9C1446CE08B14
 B2CEF444028948E5171F485B99629D2EABA6826EC328A82F424741F84E5E57E70B7555BCFF538AFB2EA4F7E8B
 64FDF9EC8466A4A03AAE81D1952517AE982F162FD5D4B63FC5C468DC024F7064A76FE64E763C77235B9447770
 0931A56D034716E182B7061308D858BBA54AF8DEE5DB6DA3653B6951D31D74AD313D4BE3F99ED3CEB6734C972
 D97710AC8E1A07AB2ED5BD0879CC52EE108686E450C4649D392F765712C362F25A8A9936BEF3E928478D44970
 8F0FD2705D26914DB7035B7A6A108F1AF04408CA1A801BBF8ED38FBBDC2CBBFB7166562FB18BE0E1A1733F124
 2DD0AA17D955EB4D631858AB8107677DCC5682F64FFFF11F4AB14EFD13ECF3232E2D7C6D44DE15382A0E4161
 7DCD8CD7B046849E69311A505036C82576F45DF7C53AE7D30D07CEE6091DD925399F3E3D97915164A1C015E95
 4EA5B696C680284B6311294D4D0E4D56E8F26347353943FBEB1131245694090276221338B8DC5B7DE61659381
 85C0DAF25E440655E792B7C8E413861571FDF8A0935B0250D7E33B3290C61CDB3B2D90C5F9347D8889741117A
 1F2163F290CDA615136203C90AE82B40B368AED0FEF88045CBC68AE4814FF9AFB717AB58529D196A94D2D44D7
 DC9622E632CCA0DA76EB4837410A6991F880CBF7B20C99C1B0AB82A25B95C3C2E913C0B6E9FB12373B479CF42
 D60AC9E673EA6A6B6FCD9886039D483BA59527F4362FD39F3833AA1795F843B4D425798DF8FA2BDFDC576110C
 276B94D7CD5DCBC5B58CDD3CD7B3566F030FA52A64D6B5A16A9D4141175B262EF2B2174120EDF213DB08A1D4
 AE3D507AAB8F624AE7FCAE75CB966336661130FE04EE087AD68A28CF8FE269106F269583065EC752612C8CC9
 801166ACCEE90071902D259EC6CFB87925016381C34549DED12F8467960371F9B17FD88F9E047B45DB8C9F1B3
 3AE194649A24FEDD9C3D7DC04A122BDF11E681FC66293B324C064DF227A690117462FF3CDE7777E732886DCCF
 8CEB6B1A948F99420E25CA3F226EF462FE311AC6A9BB2DA0C35D5E219FBB1D73973226D213467CC7B5D50A893
 F33E8DB6251110A42034B967FFA2ACD8C546EBE18603E2473166FEFA5D7F1CD2419D23702B52CDBD4B524808E
 BCD93B83D69CE182F0F4E8BF94FF2799335083736FA0DBE6B92C08D4004C3B9E2043DE86D637F77BE65C48A3F
 7C24DB17824297C70C15E7DF1C926CAD52954D7DD3125C028D9F0466BCAA105D462A423FBC8E81EEE348826F1
 FA3DF3AE5931CFC435E8D82022641AF3A7BDC18916C4B6CE41313F

$d =$ 9459A737844885ACF7F22D576CB398C424BF9939EF09A54EC32BF858934E646ABAEFC356B620869E9CA05
 F00DB29150D6DF24917CAB34BD562E123CC9AC3DBD3FA3A8E67A7DCB8562311EB49BFF3B3FDEBA1D21D616501
 980EBF981FED57A57FD8EB1BF8DDC32358C9DBA0F1A5FB4AB52C0D5B293E0BD27FA55780BC91284C0413AF593
 4385B2A269650256CEDC4974E8AB44D4C9CFD15BA337A186C145CDD608F8E83D5D0F82F95D4E867362C91AE1A
 6BDB746A86CA44F9D76A05EE8CBC6051F3ACA8AAB133EAE8C1117336CA6E5C387384809235D2C456DF1C44D99
 97DE5138B1957C80D9F0270699CCE2812DC0DD4B3B6A518277DE5489C4A5D54314C88083F603F3779B49984D3
 C9745A50DE4C1D6E0F2543431A260DCCE81883DC0830B4BFB6739F152968994B64A0C04FAB82BCDF0801A98DC
 3A6E7A9EB89ED00E4D69E7CD3A27A43C46E9C8ABDD8ADE77EF7D053E18C398ABFB21BC320B7A100D377580B0B
 11E43EB3D364BC9D32B2BCD443BA79117301B89F7AE9A3A597D685B2CF728B3B2B1D1AC3AC4866627F54E7396
 9AFA64407FA3189F80344B863878D4AEDD9F56C6F79919223143CD47BEB04FEA271B91F255A668F44A6503335
 596AC532FC82E43E5557ABA77103FF01C9403FF3C94981306B8047639AE1B9399F1E04C85146BD785B75F2DBC
 2230409C59D2BAFBEF49D26257573E9EE8817B6C88B76907BB40A04D4C67597AC1741BE172D929FF425A713B7
 33839AD13639AAEB814ECD53306AF2C3E0CCC17AF199714121D8E7BC111501F1A98188A12BE01F17D41F8E619
 D43E14ECE720255DC97EEF65CF70D79F44F6046BD0A06A14DDC80617E01F8C792CD71A03EF23922966F8B3C3
 4BC6BDB4A484CE2C90E858099DEFED5AD4D2F0352B45D252F9136F28E1539FC9464ADB398AD51D19901C24CE7
 FCE6372088C1CA64628DDB1D8C96E963359C9FCC406A8D024CB897E82D0965473C3BB1644DD8B97E65C9710C4
 A597E34D47FDCB6DB3B9E3A7D348C71BAB4CC994BB225F9DEDCA1D83E685A84CB3F0870348723AEEC2E567A3C
 93B0FC855865D2258CF5ED26B943586FC8FCE746E0410674EAC0DA76794F9F6BD1E80381AFEC23662780E9B26
 DDA124B606A2DCB05582092DFA73915D725B09B9209A967BE7BC37AEFC58FD9E499CF7A85B09C57959B957C90
 1D3515A47EC7C67E7C95A3164C4B95DF1B7ACF382570AB716BF39F557B4D4B8FE9DFB5FF9CF4F10470F9AAC49
 32D194B67BF8D789CC8D66526FFBF17FE989DE61BD772B864168A89A527B574D16BD0A618BD0E854EF8828980
 3929AEC2A0EEF14AF99280F11BFF9016EE389EDB3D063226249749

$u_1 =$ 5A62851B9A0CB2D2AD34BE3332BA68CCD1B239BE00DCBB4EF6864FA48F923F55EC3D4CFB92E15309D4909
 599E4B5E81B

$v_1 =$ 91F20FF5D1DE36056CAF3170FEC61C0D68830BA5C63F9518F49F581991B14800697FE464FADA759CE730E
 79C889B09E2

$X_1 = 93A8601D782445DC1EBAC0F9120927A8A4182F8FEA6911242919B07E8DC865A2E606AB07D090F9E770D641F90B1E3136B4DC212843C54C901198779F35EB480C196BB7B6E17E0B510654CB7A979B3F59B7B21C2827ED76F34A4D61FAC82DCEF80B2AD83A527A60E92544F0C4DA03179ECE2E6FA80D8626E6BB43F3D92C7211FB28E0546E00A93B7F4105DCE30BC9E63CA4F1A0E224484168D9CD4BAD169502F7988A68D872CE3E2E44D0E8677CA30475F54D68A84B4985AE5D27C9BD32D494656A44D9898D848BFAC2066CB090CC38D6FCEFE2ED35F61FAFAB1DC86F6E4D53CA50B716C2C2E0285A8AA93268A4144BA3CCEADBF7E62233391D42836978EC81D24A9D10FD435353C9685030E8D84D373674AA11E6AA946361E57DA187591B32B138CD0262861990528F19A73E40DB39D48790A2EDAD6074C211532321BCDDF3EFAA2BE93018C24E17F4459A96D0CFCAB1189D10FBA5B871EA0AE8893AE5922F9211443DBFBC755CFF226DFF30CE54B17DB4270C8ABE0712CD36015831A9BA2CD6545516175C5858FD6FAFFAB36DCA8DAA230406A3B85FD992B30E4FA45B365A8A6ACFD821E303290C70173E34ABFB26E08D9A55A697469740C8C7E4F55AFD8EEF47C2E23779F9BC4764CB187A362D6D2F60399E42E8BEF3942F635824BC2CE81571DB744D0CD1FF3847A4469F81B1BB7FDE2071E0745A9D43ECD6D707C2947199AF6C79D72DA85DD7C3E90FB628F6EAA2C7B28F8C3F44C88F594B216C61E0CAC0724BB775B9F6AFBF987BF37875B0F0A9C8783AD0BCBEA756CF8837CF7F30B8D74C5E6F385399F27B5E230E85D4C6DBAB6C0451DAA9E185EB521B08CD86D63CF41FBE9B32AA262F3E81ED0CC86E25DAF990ED48D00ED87D3C3C2E85739F2D76F46A42F1526C1D0B33C194C04D0AE664FB4F6EDEF5D943012CCD2AFE3DB6DB950119605EE07907AC4361ABB49CAFB014DF323F35B62274D30FEC629CB786879341516371A16C9EBFF05575B96329B02A91B2B6BEA6616261FC2F0DD1FE3466126FA97B4001DAE95D98943A4DA388014AEB79BFC3707F2CACC5EC2BDEFB0B7712C190B8893AF2511412074BB68A51FE89D0AA1268701C3E4362BAE68662BBD72EDF83E74404EF5615E57BA72A7B4844C582501AE808AB5415189CB386C9DB6D59BE3C2375C6F15A455550EB57FD9EE31D98BA85EBB09DFC6979F4065D8DFADED7560CD90E489E4827DA6D72C05E89001F9C4863AAA7182D9C1A6350BD51E81A9B4E80ECC75051AB785B13B358B951ED404B80BBF310336698BC6385FF2FBF8266F86C2AF798AAA0956F7A6C061964BCDABDC42B9302921474B4D78F40454B538$

$X_2 = 09FD33030A7821B9E43C16C7557C87DFC6E98F1A4A671668D6C7F92FAF9ADC8F39ADDE212F41719249B16A01E3702F9F0857185FBBC7B20066E2EAB57CC718C362007B2B4EB797A732BBF9DD3DCAE5612A2516C146E628631319FC5D97F0BEED2B7CBDFE5DC191C4947FAE15BA95D3EF47E6B0541D3A23CDD7152F4834935590ECF4A02F2669B276E73E466B3073BCB862B5BA027793FB6D81F9E04452173100C497E88B11FA790134C9E53919D80ED5FC826511062F2EA8747B499FD472D7D41848EC1A7D5B56C6AD3087C5F3EEC3910C6678FE1934C758CEC76E062CACE36E1F098F91C99ECECFF7D53D262344C38E4CECFD0957661A55AC7364A20DC1CC8FAED16D9A2EC682B657BE551F6EE9C3825929831E6A4C05EDF85D5676121C451C6BDA9220D7D8DA26580DD647AC1930D9664FF3853CE9AA1A9D41758DD30B4ED4BD2470C8C0FAFBFF8E1D67BEC7EE7E898E81D029B5D71C16F581975E9A776C1FEC40CF1EA152B1A0793D0A86BF8CC1B6DF947D35FE1537A44A1B1D2812C74BBC16C8D302F42A5971719003BA73AC0C16BA6B269BC98C6242EFEB231549C7CC805BD99349883DB967994D87A32EB249C03CD7CFAE81C5A4BB6D55E2778EB54339794481A93B0A8E754E4E49B78D12308A0400E6E425AE21EC9242F5F246B5888CD20DA459DAB42DA89ABDCD850E6C9BBEFE15BB5E55846282EB2179E9CE47461C08F50C24F786EE4C2CB6E91FE67A0671EABFE584A4511CF2A0D78A19E7AA10CDCB1C964CED1182A1EA396196EFB4DC71AE509D5A5EDC65BB8C16175D85A005B448B464FB405004151CB8FABE169CF269D40280E3F8FAE875BB46E9195210F2D2832CCB2AD773D05671C5AC069ED0DA9EA02440C12029FAAD71DA18EE8B7850FE58985905ACD33D36BCEA4FCA7871578550A2C6E4FB5A13E1782878BE16FB6D8C6C639780ECDBDCBAE7CDA221E2FA2ED10C47ACC172017A0945923F0A01FC17F532B5EB2FB5132C9F77EE75DF32B69513A70CD7B04DB0213BD0457D54E6A3D7D2657D7CB96A8B31E8CE759D965F8C7593BE1703F63C4D0D07C7D6471B98D0232D659182DA59B371784F2681A43C375056D63A7B084A022CA126E8CD7D387346432A3548858BF32DBA9B026A6A1C7E09E292F115F41E330E60924C84EBDBC0ABC0634A9EB1B97C5CC083D6BAA55DC94E4B8A18FADAE75D2C17B25D7DB8BD7BB9987ADEB6A89570886ABBD4E4D12129379751898E2C946515A29F82743E1A180D8C61F62E9E97A3E4ED8595C3556C47E783C8DE7C88B006A9F34B763F11494FB5D5C3DEBCFE29A9A2B7C548A12E9C3BECA133F3BBC5B011EADB25E89659D4CB5$

$Y_1 = 0A97F7C49E6D6A4F496B7971C842F549D10CD350F34B69132F055B938CF1A7FF95B4B17993D0256A777F9A5186F18A53F7D04FE32F6879E3DD947B2AC5A58FBA85F7C37AC98059F43CC5D35071D7C9FF6327B04DBD060B742EF2577C09A895E0AC08E7B37BE7FCB717A423B691055FC90A40B29BF848996D39233721C65953E25FCB8B2AF5F928900164DBC208A559830131E2590C7CE900376CF0963812F17E14FF67C0CD8B26FE616CFE26AA40E964DDA8484328A3E3E16D63A703FBBCAA7DDB73A04A665375C65E394AA68B602626C0C31394B4B7C1F57F631F581B9BD6493AB103C59A08EDCDBCC587484D5724A7511CB551334EC2DA897779D7D8A2EA9986DD790BDA15B30F9614063C0AC5F40A318E171A44D02095F0ED08FDF5954BE62EECAC41227A5D5428FA149D70307C1043A9A9FD72A3AE7A6EF8E139286DC7CA952AFD95F478B0E71B91303F234513DAE34CA1DC24A13262A8CB621E86A1D173E08EB3A236E6DC80E2710C31502A6031F83C18B7986FBFA9F9D29D172AE22566590104001FB260AF1340435184BE606B560DE14F73FD6F7ED021A6D12CFB161CF75F324E81923BF3F4616302BB6970A4743D2AD9AC29F12D6CEDC9B855424C40F9187843A2AB368A6BACA0BBDD1530BF24DCBDA410F50177A791A78E1ADF4778292F0A7824533CAFBDD5D6526197AD24E5BF5B3D99F24093D26398751219A642AE54E54B879D8E135B33D9934D90690E3E08604B1442A415AD0BB02F3693F7D55F6135637BC653645AF830939B12A2BCC539A4CD72D04D84716D60A642C38C24A4653632B863B01FD2C3806452E34267C2ADAF369ECC5F5B6B1F749B3BD9BB48D02C7337077396ECC40CF2DB77F92C4F8474907EE87C607C9D2BC5A8F39DBB2AD2CF6754FA5836CA88EC1320FD020014142CAE9DA9F5744392F92B9501B9D887507089BC4369B125EDDA068078254C57F08E76807B1DC2A9F1DE52A32D58119FAD45FC2626AFC7F07F9273C1161164EECF7AD8F5B40820C25143D64954E6BCC9B983681228F2791D99E1331534D92BDA50FD2526985072D071A851E4D484D2E2DE9BC34E127EAB63F64DA07EF365086C1C7B1BDB27E6FDF603CA2A4E44DD4224FE0DC6DF6BE969D2255E8CA224D328BBB710B45F7CE5D66A0D3459BE9127112E6DA86B0063DC897880316E78E3DC13C729DD65DD0A0A14CB93FD582A88846338E94543CC1909FFCB0DE7B3653DF434C7E1B174463B4DE7C90EF1EDCF57CA0F088C997796956BD21CE5CD5743401BB0AA979CB142937275FCB64672CD12109DB06215A234BE7C9BAEA365FFECE59827274848BDE94D1089D063832F3762A34$

$Y_2 = 02AC72611D95F6D5043F9B94D7C1E3BB9AB9C7B82AB41DAD21C99AD81B21A90DA555308D548FEAA9FFB745A92BF68A704F5BBD6C804B9357C05D0A3B48FBB45DAE68E2092FE066692E7E61CE10D8E161136D46E6D3A4E50A5AF1234CB26D439BBEB2F1588ED369DBDD1C42E93CB40766BF4C0F506B499B36E34110606BD150DAD9A14DA0F8D6C8445CD128A25AAC4D88BE4774D3485BA8B5498E5CCBB70A68344D02E6DA82E650BD6DCA9034D82D7A63C61DF9E41061791DE306F1A30C01C5178DDAF8D2A77B093CEF7BBDBD77CCB7ADAAE057F4261AB4CB4BB2EA29DBD66C22CA666389CDFA4569A5FF597EE6D7138B46323E04A358C0EB89BC234D01C026AB72A8C500CC4790E7E3C2A2D84C581EFB27C86D9AA68B77F079699E79D76C7A6B221404257205C679FA3FBEDC063AD2CDFE5A61E383FABAECF5D2C2D34434D8321D2C48AC520B716C0C25BA5EA710FE6CCC266C9F26C495F56D6EE2F3D9A7AD03DB6EECCF4B678D10AC0ADF952780CA07375AE1B1F9559B45E240DF2FEB4C819CCEBE1D21C9FEE88C053776C9565E699C6AC12B491296DD851DFB84602C2C81548838358360A0B0A53E643B5B116488E8A43F1DF26E1B4FE374A85DA2C9874E939128B0E26C32B3E61CE5995A48CEE1A956F8FFA90C8747CD4E6075BEA8A1CE91D32E3514113902353A1EEBB4DFF4F84DEBD5DE50C17742641C109314FD6D1D69F415D108B2ED8A924A1632CAD2E924FE7BA8E4B79DCEDA4CFEE70586642B29908E6A19FCD0DD57BBB0EEFAF036156388018CA4CE5D862EEAB13BEB8A8CA43CA9933BBF95A50E4AABE1D41233153DD205E98C7271EF5122816461592C9AB1A4FDB50A9AC90744886F1448399E1C482B2509FAB3C41EEA5A7D7EA1A84D1390922DC8D62C5314360731DBB958506FE08C6E51E71726D0043E3257C47251E32C5EEE1B8B8AE4C8A0A3F988A4B0978051EED06C33ABA2473C50D18F5EE67EA8CE148593AAE7E71C29C5ABA2DBBC123194AAF8BD63D450B03C23CBEE18623E7C1E1CF6D9271396AB8D186C5655F99BF4C068778C0ABCD8F5D71A0F30D80510830D7E8BE6AC231EB528379109A8EE4A2709CF492B9DCD6EF006DD92E93D47C9C223B6AEE3C2CE3CE71115A98CA41DAA22E7B2CF7E7B764FB878D2787A06298AE8C8276F131E32E816BAC153499B856C4A9401E573AD9024A584D2EF772F944D377D032A6CAAE998F05C8C11B8DF19BD62C8E99A1B59AA76A24044AD50867526BEEE1E295BD7668B40CD010F655292E4C22BB87B6425B5EDC6AB115CF505B8B3A4C64BCB81AC855C232433ABABB492DCDE2E2329F5A030EB11760DBB2B90E130AC7A$
$W = AF166E359F433B2EF82CFE0AAF61C20256578692F108F1277E3B255AEE41F87CC1FB181093D4A29BD40B29EC2069CFF4$
$Z = 0A97F7C49E6D6AC4F496B7971C842F549D10CD350F34B69132F055B938CF1A7FF95B4B17993D0256A777FB9A5186F18A53F7D04FE32F6879E3DD947B2AC53A58FBA85F7C37AC98059F43CC5D35071D7C9FF6327B04DBD060B742EF2577C09A895E0AC08E7B37BE7FCB717A423B691055FC90A40B29BF848996D39233721C65953E25FCB8B2AF5F928900164DBC08A559830131E2590C7CE900376CF0963812F17E14FF67C0CD8B26FE616CFE26AA40E964DDA8484328A3E3E16D63A703FBBCAA7DDB73A04A665375C65E394AA68B602626C0C31394B4B7C1F57F631F581B9BD6493AB103C59A08EDCDBCC587484D5724A7511CB551334EC2DA897779D7D8A2EA9986DD790BDA15B30F9614063C0AC5F40A318E171A44D02095F0ED08FDF5954BE62EFCAC41227A5D5428FA149D70307C1043A9AEFD72A3AE7A6EF8E139286DC7CA952AFD95F478B0E71B91303F234513DAE34CA1DC24A13262A8CB621E86A1D173E08EB5A236E6DC80E2710C31502A6031F83C18B7986FBFA9F9D29D172AE22566590104001FB260AF1340435184BE606B560DE14F73FD6F7ED021A6D12CFB161CF75F324E81923BF3F4616302BB6970A4743D2AD9AC29F12D6CEDC9B855424C40F9187843A2AB368A6BACA0BBDD1530BF24DCBDA410F50177A791A78E1ADF4778292F0A7824533CAFBD5D6526197AD24E5BF5B3D99F24093D26398751219A642AE54E54B879D8E135B33D9934D90690E3E08604B1442A415AD0BB02F3693F7D55F6135637BC653645AF830939B12A2BCC539A4CD72D04D84716D60A642C38C24A4653632BB863B01FD2C3806452E34267C2ADAF369ECCC5F5B6B1F749B3BD9BB48D02C7337077396ECC40CF2DB77F92C4F8474907EE87C607C9D2BC5A8F39DBB2AD2CF6754FA5836CA88EC1320FD020014142CAE9DA9F5744392F92B9501B9D887507089BC4369B125EDDA068078254C57F08E76807B1DC2A9F1DE52A32D58119FAD45FC2626AFC7F07F9273C11161164EECF7AD8F5B40820C25143D64954E6BCC9B983681228F2791D99E1331534D92BDA50FD529685072D071A851E4D484D2E2DF9BC34E127EAB636F4DA07EF365086C1C7B1BDB27E6FDF603CA24E44DD4224FE0DC6DF6BE969D2255E8CA224D328BBB710B45F7CE5D6A0D3459BE9127112E6DA86B0063DC897880316E78E3DC13C729DD65DD0A0A14CB93FD582A88846338E94543CC1909FFCB0DE7B3653DF434C7E1B174463B4DE7C90EF1EDCF57CA0F088C997796956BD21CE5CD5743401BBB9BFE800B36C725657F86271DC32E30C315DA7ED1454D8F139255BBAED1051FF346F9C9C726973A47111621F13DFFA27$
$r_1 = 4309185486A772069D990EBE263177A7D7C04C0A5F6EA68CD47FDE6418CF2E61A4A88A0D82DDBE329CEBA8428B570FA0$
$K_s = CEE44B1E0A9526F24896D8A6DDAAE1BE32119AFB1778F3D2E9B8FBE3777F33D191D6AB5B5CD1602B2BA534D0D8A4D0DB$
$K_l = 3D91FE92FEEF4E0D5DF7216BDD1195AE79B7117AECF310803DA7CCA3E6A7653D$
$K_m = 0A7169591AD386DD260AD9E9646172FCB8F7ACE21D4C3365E35734F96849D94F$
$O_A = 97670EDC5E22426AA6981937D58BE6958D3B924AC0ED15BD6002B569745BBAF8AAA474CD4BF2137B85B819F00AA7D430$
$O_B = 00D9E7420DA93D12B42B1BA67283FA4FD83BECED41E31AB9A8514775118B561AAD7555F04B87C2E82B4C5C550DCBFEB1$
$A'_2 = 5F0E2CD39855B80A7429EFA92393EC249F07DDC3639943AF14306F08874C32F44E02CBCABDF2F986028246BFA9BD5BEE$
$A''_2 = 8C0244895B7594E9092C487D5C2BE85B4C68DE6F76EECD8B1125FA5E72F050B538E8F4FE5FD775D1A7063BF0A6C52A0B$
$u_2 = AAC834DB0AA695B18FBC70F7BC2D763181386B992B7D5D2F32D6E175D8E43443BD329D4F507A166389BDF73F6B63F2B6$

for $L_K = 224$ (RSA-15 360, SHA512), HMAC

$B (= \text{lkam2server@aist.go.jp}) = 6\text{C}6\text{B}616\text{D}3273657276657240616973742\text{E}676\text{F}2\text{E}6\text{A}70$

$H(\text{I2OS(4)} || \text{password} || A || B) = 403ACE79AFC2A31D2C84DD89BA6DDE18F0173827CB0FE94EC5DC04F31BD934900BAEC3BD98C205BD1AFB34EFF4686CEF8376D72A8C0DDB61C27936AE2D5F13E5$

$A'_1 = \text{F2ED23688D292688B6F9884F99ACB0BD5F57B7820BAB2732F1EC8B9E0C734791DF2764E5BE9C59CA87627C693FE1FE7B86FD688018D25964EF455815BA4632AB}$

$A''_1 = 32A217F531944B5E315A07C6439BA2BBAAE2338F4A80E79A2A17B0E62DA906D34628CD21D3387DC315DF25784BB5BD4C8F03365648F2045DBC2DBF8003F9D385$

nc = BCCDA660BD5655CD1CA173652995A4B36CA2B0C4F77CE2117C858E5D6FBA6BFEBDE00EF540B33BAE3B805D
EC0C0A7C529CBEEBAEDE6E27EF631840EF91A9BFE4BFCF48283C104F2F9925B685F6BCB15252B526DC4CE9660
E4DDD4DCAF65927F5C2A370DC5AB2EF34840826C472FF9A5C2996ED2DDF1B7DE71C0F8C9BBB0C9DE7C503415B
C2CFC1A0E70695BF88E55530355F865A64065C16709AE9096A9B0E805E60F08BA4173697E5270BA5CDA82FC9
92D9AEF0338C6F47D580A73BAE409D086FC488263224CC7C8C23061A1E7B17121FFBEA501A357740FAD98BE7670
DF25D7D50EFBB5E6937A7DFEAEAA34CC4F0AD19CEE0D79EC2A706748BE783089786115EA28BF13FF2656D335D2
9E73A117F8043AD43F69EDF648999A20A7801D79AD7455E96F1F1F737DAE8844CA0BD1303E993B4CD3EB3357A
5ABE71D668D97DAB98BFF62DE6949A03EBEF5E774AC047A0830957414FCDC0FE7A90A7F9A2729B46A69DE28E
D2BCEB0A479BA256F49312788EBC6158A4E85C3EC889D304E7D95C87790EFF581B6F3ADC6248399F64EFD2A70
DDA2867445DD631A037462F2A892272A65BD1B599092403F8AA86A1B51537C12D9CB1CEEDE34603E414761391
9F66BCB48193462E39085148022E540B87B556960484C1A63585EA1E4B57205F8A9F84343696DC54C75B132C6
3038C629534A7F267597AFFA1AE24883AD2608252B44EFAAC6F29A401DD20150B98877995A0ED983C56A85
F16B8A8ADE550A3C1FBFAA17F32CAE7925A0C3C246A2430B6C7692469A6BB07F8C810D1E7AD0A6C674D5FDC88
384B26B09E6B024440639CD70C1ABB4DEB535AD0809FA7E90450B6065AEC05361E6D5222A04F9F4F2B6BFE298
54BA06E10D86AFD71158191B59D7FB83806B628392A7D4E32228DEE84220830616E57B46F8284C53C49752230
3B986B23E62FF858DF284B76BC958B71ECECD7184A806C90F0FBFD678EB865C9076CEFC05A28A93F5CACE7E3C
72A693D3C992546063098E53C581CA5C2DADED544CACB0E803A591B6CBCB580CF7BC1294554AEE11D980E5F
68FAE76322B1B71641060534FB1E924AC45BEAE903A17B1C88164C3448C1632C2BE3E61930BAEFA85C9FB5900
D19FE7BCF1DCA19CABDC9DF35170C6222571A7C770F99CF5AADF245DB78AE1ED3DF773AB9285DA63DD1183F
499951E0A9752B3343D9863C8F80A06BB32D85675ED49D2814253B09B7F0EF034F196E271CD87F43D86EB6CF19
448DD51F40F41A7F6A62837654E0DDC30DAC90040E0299461471285F9F87E3917DD8D90ED210764CA5654A3
01B2418975F321F14068B3DB20516EFAF234CD9AD7E6D14E0B2BD9D94472A24D54ED5BB83F0323242862BE7974
96B2027B8E4EFE4C0DFBB08D3C18D658C6135AE67AB7A00B3D8395146B89CE7B8A17C4CF5D34FCE96B19A4D3
A4AF1832501F19A99A911600EBC7A67A10F6054A4E4AF04A05AE62E6B86060F2BA6587FE8BF3BF3348DFE544
129C50F3FF2D3BF1A2E2667BA55577C21CD718A576D4E9030A45A40123ED7134331FCD2A9F037E6653F42
DEBA1B55A7760B2803D9A6C98185143570E7C5F975DD8CE0F7BC83385A6BF433959AB8255B04268DACDCFF84
335CCFCC6B9B035378C61463D4EABF2C5CFAC92974C1C492722242E73F09E838418F6AF01571A45E556E657F
2D2266793D8452DFA03794340EED30FC32610432F1A630C10337A55153503FBB114969AA851A2E2BE4EA78F9F
64D0B14E9C5ACDFCF70DB7D65ED714573E9882903558CE9D502CE3ECA89B19BB08A3D5A111DE3998E89DEED5A
B4185EEBB9F9AD13BC8E42EC203202D01974DC162DA2B2FC28190E1C7E3CCF065A4C574C0FF18E5357F0CB12
7E14B231E3EFD7B17E5AB4F2D9441117C73B72666ED4ED10110CA102DD129CD6BC38D0FD6819B0F8920A65A9
C13B4BD6B20805361B1DF25D826A81C9BE2B9108C5D740214EE4479BD7311F57A19C0A3C069BB325C34BFD5F
8DD52FC2E51D534F5210573CD7C550EE0429D6BFFE749AE03C21C7B677DF5BFBD2EBE9E5FFF338049D31BC43C
81574AA68B1DA2B5C3734A6711BD5C4C0C8FB69C4EEAA2A4CF245FD28E10D25643B231A03C2297726AD4E1D6F
3C858CC4BD65B436C362EE0B6CA30E7CD524FDDDB68763A90BCD0B994205F232A1C4E65427B2D39B8670FBAEE
847908F7B38C6A8883AD3142A7DDFF0EB9A289A7C6FDDCB324343283D157755C0A1DE5E325CF2C0F169CC0025
0B37EAC2C8ECA6C195421D5855851FE5C38A7B65EC930FCBAF286DA2F23E213ADCA00A5B379AE22A7ED1E50DE
3D0AD917702D0BE8E8BFFF30E7D6FE4D1953CA96451C65E01C32F41200B493299767A8459AAEE9EE01240E92
887ABAC7B4115551E5F86C49CEDC9116F6A2F8C947AC1344D59DE437AE92CCC04D7C7A9B99B5F474778E1C3A8
BD295CADEF85C5147B7DAE01F414CA3F71E3C87BF2D9C6881244D198F11804709C73F42B97899D343627C6307
95BB5BB8BEB69F6BFC37E33B0C81ABBA4A954C562DB5D7FEE26229FD351A36BAD3098C5972874D65DD39ADCFF
7225074193C40E6388A0AFDBEBA91CBD48DD04D76ECD7528089147E6C4CD4771BBA96967D34DFA98E40C1E781
C6E87CFB61269E934688C51C33C36BAD3D10035AB91D2265964AC66616776CEDA0DEF01675FA0B6B12CD70E0
13D13F56DBE365A97AD07299

$d =$ 7038515FFACAD2B32EBE019470882E44EB3C32526713441F23C1DED845B214CDD001839429C0867BB1FC2
633EF0FD17A34F68C44C9DF0211E6FF5B8FC9D130572B5275A80170EC971125B9F1A829AD4ECE4CF7FFDEB62A
E0F6B1CE4404E2E4BBF55679E31F099272F2C6068FEABCB090BB75D2E8940D280A4F8582404674BAE256CA378
9C82687135DB9C0F2E5CF8F2EAF015E225A541FF0B293F1F3593B42BCBFEB2F06715BB7B042FCC4EBA3BE16E
232A42BCE24846E910D92D8F4CD75BE762318F80BBACB78CE2BF78EAE7E75BB618FDF7E30723615126A43B1D4
4154BDBA34A97086B8D89B5CFAEAFE14708571BEEC84DFAB48B4E4478F03306A5D36E2DBE090FA515A21B94BC
036FB848E9723DA0AFFE72027749F924B5150B8B7A1E02B38CB0E45D4157543B95FFABE3B6A9FEBBCD720726AA
38756E037131AA39B2C860F5FECBCEBF7A4A49554B94948A9287FDE9EB4961AE0F4E97B432FE2B405CA8A34DE
4ED97C7A22EEFD08A6003677818DFC841FC3F8551106CA1F16C3B3084E97A636B495B96603FBFB583693AE111
294BDD40376F20093D0CE92281D5E24C7025634971DCF1C152C48D8CE01D8D70F047850B0FECD4FEF84405510
C0B56D4308750C1A0E57DD8FAC2E288A16562CA630154BBDEEE0BA900A5A5462312B978E625C93B89E7CEABB6
7845F708456F455F3822E98837B1C8C2F6C29A4F1E40976FD4DADC3C3341A917425E87CBD43534631B1590BD8
F77190526E24C88B11AD818500867FA51A6C242D7F4B3A3036542AF651E37BAF0A052A6096375ABBD63BFB84
ABDB65D78EB552898921821B1B8FACA9D4FA619C823D5DF91F85273A883C8897E28BFD4EB7DBC2F6EDF977F62
CC34A93BC5DF34D83065BFB954BC31601D840B0C45E7335C112B751DF768914588DEC9F6C413E04D0157726AE
7C87B343B19FB5D7C6C8E82CD32FEC52617F4A133350FCF3910A14FA9F38E9E4859A89BD1660234FAC3CD23EA
C98A63DF97F16A88666989D969D6400606D7A13E45FAB4B21225396C2A6591CB6C06C4EEE44F3435019CDB1F1
CBB85E4D775D7FD9F0E52FE52758BC7A77E27E2CF2D572AF1BA7BCF3212C41390CEDE862AE93AF74110CF2CFD
509243F544ED7B22167CB0376B58BA1522515E49CA19320FF0E354562A773388F2C1F4FE032262E8F642CD492
2D99F82141A8850C7AD129431FA5FF7DF75A1EBAC5F8BB67A378CE130C9D30A5C5F91C46440DBBFFAF6699E48
3E2ECE55BFD597134428BA955999F79E424EA2539B578DF6CC7FAC3059D789A4D128598EDD42C6F6BE635FAAC
7F8F6B6E50C6936A29B3A9A4A2D35AED6362B4B7F11091C60D817FC04D32C6391D1A46016C636B88686B4FBD08
58453CE8E9C22D1E6008DE98922736FE148012302F581031A1E7A4ED1AA13FBC93FCA96F6471D29F23C06C581
47528B72F38A47D381179C8FF27C9FC93FF4A3BBD3B4AA599574A0810F7DE5F91B207C350B5610A374337E1
50B0A589D4584D92783AF135245BF65302C18DE5E57868F146C01C65C4CBB895F9EF96162362A311A421040D4
5C160414BE4FE48598E34ADFE60B1B746816A52872AB4F6851255379797A88A50F853D14919C6FC688782C7CC
3D54CB295145D6B5DD07CFAA02AFC90C8C3D596FFBEAF21A8E051CEF27D19340A158C9379E13D9149159C60D2
D05A8FC2763794332F53EB25F604F8E64B33AB4E779E850FDB18DCA52035891D5A4C67CE64A40A4521E39C9D0
468247D6CF8501B99224E53EAB13DB24C10578BB1AC8B6F2A462C196895CDECC1078A5CDF3FA989928A33145
5735674FF97841FCE495D67E79491658C20A32AFC47DE1E365C8D8E72EF3AF415B63B2FB161714D2D199F9DD8
758A4D6A342CF8E59AA3CBC249F9ECF2159F60AF1F6FD8D8E6FFB560055AF776697E59A6019605A43C6C219
0290E0948D71403DBD13D6A82F29541C1217967A6073439BEFAD954B61645403715D2C8E9B0F73AD3ECB07A7
FD564B04FC347B24DC4B2E1C19F7B6568D6B43C40F9EA307060C4DD698CA13C11161B6ABE344E2730E1816AF3
D3664CAB494CFAB9D90263C63DBF09ACE05F42112A77A8035C258AFCAD2DE2784D98CF43C7EA07E76DEA233EC
716CFE98B68E2E1B33A0223828BB9907E1534985A5BE90E6955CB8D9A3C2ED68ABC98F19BF9CDD68EB42A6B88
7CDE08227B20EEAA3A641E5A65A226F2F56C688B50B3E6DE95FF97FE3F1B294A16E041AF6971EDF2EDAF6005F
7BF111E640346338B7FB86DCB237DB81E472329CD0CF0CFAFD79EC436DCA4E5A8D4679A0E76645B21C289689B
498F1F582160C92F27882D86F507EB07FCF1A732FFF89B8311F1B29EF4BD97435EC09BD21FB07C5AF43C1D351
4F81C62B2F2F671428DCBEE12E8155B0BDFED25D01B57AF755615DA5CA9E42EB5A2A89C0DAAEA57694EDF8A32
6F8B508A0FA8EB13BAFDEF502A03F9CD225FA14DEB27814AC62FA0815ACACB4B4D74713EFC6F918030FEE8D79
27CEFF74B421BA6B93F9C1E09D07F245216CFF312EADD857CDD80E04808C6D30278D4E08A7A289E4BFEE2304
E272486E08A7661EC251672A93AE8954B202670E9C5A2F849D8078668179FA1106C4BEB1DDE8CEED8E688A3A2
59D9D9833D7A0B0CF6C032606FF4CEBFB6EB799D1F6D4C82958CB5E63DE331E5F9949E80B302281A363850C44
8A3A708B7FD9E3A40601

$u_1 =$ 92768C04926084AD2D2C109140F6D66A53A5DE776A149B248FB06757EED8B2A62F94174531D594CA24472
00D9F6DBA4D2CF5983099DE36290A05796A196DE6EA

$V_1 =$ D24C427D3DA227B001A8CD18FA9B0872A3B2E650A11B726A4A6C63B4F5018636243AD4F8A91791773EBC1
4E26B05D6A2AF834F1A15D3ED48C87C4FC43432F50F

$X_1 = 94CE793F64C3CD5A6A948418D855C9094468ED6EF31F30EF0E5E2D19C84D2D3932B6DC95EE5CEC6D16240$
 12185A07DF2EDFD6EFFF701CCE0B55508EF40B7933B88B3734827880EA5F81958C608E1DE7ABED428B4F3D43
 B48A82DB7E53F5B790F3A3BB6218EFC735B1093B90DE40478B3B7980223695F9F516D7A0C3DE56AA8D111F95
 9D83EA4232C98AEF122B8F9E545B4E49ED79EAAE08C574268A55E65A5B9F285509B5666B8B7DB8C0D9EC79250
 16CC490E30D821EA4B71DA8754C11CDC19462F93EDE819612CF9A791CEC3F78933FDAAE421341BD47EA438668
 1E94192875BBAB19718EFF914624413DD10DD9BB2540E3A2A600E27A27B43C5E6779797AE95E423993C480CA4
 4D6088FBCE6FC8BB3859C81535C4425859EC4354037EA901E4791D5C0EA12E87EA35B2696113E479065D2B3FA
 F2C4A8AA0AA6E6269B6134D35ABF51B352965C4AC3FBCF507A0700DBB027B1C4848475D7023171B6407E04339
 8AB517C01926A8281360117F3DAB44AC34BDA48ED343985DF1D4861E46D77CFE8F6ABC51AF419EABF3D69B90F
 B1BEA5131A14F2749D9DA82976631CCCEACF0AA873B4CF88C3B7550856AB10D4B38B1A29C1F1058FC61F1379C
 010C820D1997457BACD791E6332C04C8A68D705578E056FDE483C5859D2ECE487042CF39ABEB98E6F1D8188AF
 0BEE85A4138CD0CB2F864194024544E451253F986A221486CA7E9650E4E75413C0441F773A9D69B90ABCA0F80
 745C251CB13589D9593BBEFF6753A786C763F123C8C845C603063439EC0952FE13574A2044185C2C57FDF4070
 DA9F39A838EF83584554B51BAACF56B8D8C1F6FCF26DFF71A9AA0675704B2C43864EFAE676264529C2237CAF5
 51F029D6223B6A7A3561A9BC35A50910CD376FDBA919BB0E3E738DF7AA6BC84F62A193508FC155CB51A6AE258
 38C4973F0ECBB901FD95ABE88999624458A20D55B1A50D36D1C4B090B500FC977DE25022BC645350305B54F1B
 C6C34F5785842B60195BA2F96B9FF970D9AE66CF112CAD014D768E70A283FFC2EA525A241585A655B8859051
 ED7C7D8E9A534C67D0943474DF55B5839E50043B09F77F9CE768C56B88DD61FC52524A6AFBC251C6B745AE86A
 4239ACE7AEAAA5257C555E22FB2EF6FE60014744A3FDBE562DD9D947FD9BA82DB3A7816E61D230D1EB57B0A
 77BE16D18A57289BBAEB2B9EFA326D69B17C76FB252E5E580577A2B61550FFDC563A04A4CFECCBF4757F9857A
 F69E39F750D7714D1E1CA6B7E77354EF22A712CEBBB31BC82ADE6F658417D09B14DD2DA974B83F9F33CB2695
 DE175E04EFAAE5089DE4CDD2C79A28D1B23D5A2B8053147150857689ABC6BA8039B5821E0C2801BD7FD33B67
 8FD6E6C85486FA691DE11B116A1C29B6958551ACE0827DF884F5ABEDED5E82B5E7A8F9DFD459FD1B28E8CD50
 6B1BA03C7B3EEB2C8B61FFFF488F92E36D85AEBD35A8946CBBCA74F0098D20363BEB24452BD93B18647F1A21
 AB70C970C044DDB093CFEEDA3CD01BD4543C2B0492BA7A43A02AA6BDB4EF10A13244D25CED44B58CEB43D06B
 0CEDEB5B46C3C81BF2E07B5FCB306C95713263B4EAD78430C34424EA0CDE6683C91404DBD12AB039019643A7
 B563762B402B3A898676A8228A62B6FF32478A2860928A392B94C8E3AD8D27B911A0FEB810FDF146A688E5A4
 BF138191451CBCAAEF0382CC311E060B3277E0177698D2FC3D4D0116234BFA86117E818D08CB7800B68C5EAF2
 384175C855C18F120155513D3210C5A00B4929C9BAB4BE5AFE2A6217EC9A4F023BF374864D7B92197F8A97723
 ED67FD450C8E7426E07FA2CE3A1120A51F4B28B180C269FD0FAFEADD17A6781195D4D566913F4412ABE36C368
 BD4CFBC9A8457D9BF043BEC9D677B1F96CE8389D1E705606D73A98F79E510D898F4DD125C5800CA98ABE163B0
 23C38D9DFC39304F1D4564F724CD50BDF71A0FAAE011230ABE75FEFEDEBBA6681B8499E93B8CC583E90F8E956
 B27AB0857788AD2A9E4BD3513A6BEBEFCFEAA269192F199FC5CBE886BA7E68D12F4100E45303D785F4B086936
 9EF5BF8BF448ADA2D275E2CA5F875DAB6A6B6962FCF55A6702AE870EB02BD8DAAE85E0C69407F3DAE653D101D
 ECD3307E4FC5D0F87E3786050806CC72EAC8AB06D7C84953B447DE8766AE01D599CBB5B1403C247B3CE03A338
 389503A6D25A2D18C797F52EF3A1644F3DA97117091CA209AC90845540348D4C8DD712E57DBFA403C5F425144
 782FC84BAD3F20AAE2FAAE0813E9A25A8A65FE92ECBDF1A1E08948233E56D14A8B301AAE5AC61E1D83594D2BD7
 F8D4AEF2B7D293C77E4EB0DEDE66BD589F130F014F152900A53612AE65BE52E60079326331AE826D8BEA43A7B
 F63B809C85737E7BF633419798C60DC77392346144472D964017A23FFD0947F713C06E8E36E92319884AA74D5
 A8428A7CB2F46037D59C6992CE90C7A6CD844215C1CB85E7A2D0B60CAC25C2DB2B91B30D2C3A2ECCC72609B64
 20A36049F2F61A54671C758AF3B39C51CE4E418556818FAA7B698563B66323DCCB66EE8E05E815D08B6204984
 9D04CEA4374E462051DB254713D04820B10D72FC99F85A2D98541C6AB1B23426241D88418F07236800FA464DF
 1FCD5BF5251941F8D01B7FF87017393AF96D9BFE4065B7BD9FB518F4C2072E189C5B8D527D9FBEA0EDD56BBB3
 FA6E055E3B79816AFB79DE01B3C0

$X_2 =$ 07CDABE711450305B7A0F9B058D5E184B87607FFD4067E86A7B5CD86F143955C26C8BAE3DBE015D862E5
 E77A1324DE8725AC296B142B788C7B797543393D1F616EEACA90EDC2FA7B58580CEC684283DFC27287A71118
 62F0C82FF108448A62931361602E1E670219FEA84A9FD4B56CB4A90F5219CF6B2667CE3F0A5B1B9C698D23E0F
 CAE62E1A5A163C63555B6073F05EAAEE3328D48B7DC3936BCDFE2DAA9F31B5A31FE33254C571549AC5A306D1DF
 FDE7DCFF0EF5A879737BAD92C4C2A2AE0FB8CF297998AE4D0CAA65C38EC8238B58A70E40A050DC4F403D2815C
 FD67302CE4AB79975D9916BAD9B11D108F5F78F6B86414C6CFE1D98FF6EF9C481767AF02FFB6A9395090E22EB
 4CCA18C6CD3329CD23E3199F166677D5122488C36B70D63A85897131B53CF7C1D45DCE9E11B553A1202F40AD9
 308C199A312CD3AFBE54C8D670FEE93A33F2904F758C0DE88A5A563484210202408D28AC728CE8D3C6FFF9BB5
 5BEEC15A7605CFF683B3E70FF68F32A01B5AB3E3A2EDEFBE2387306A4D14572BC626021AEE7C376D67538CD3
 8B396CCBAB03D451924EF9DAD7B8F6F0C1212B0DEA3404E7AC7E4D1C5E1C87DE1E7D5724DA3C4A52B610D7D93
 06870E53E92A81427FE3E50AD1694B8BFB13FC9800F1A308DB7030B775EDE0B7E5F9DB9EAC0F6D8ECD7252FD
 E509B03A3C5CBDE240C1AAED235A5B32D89DCF75845EE45846DB7492CC75DF6E2930FC5A91B9BE1AE43675243
 45129C9C49DE17CED179927CC0AFA40041484A54BCCECDAA2430223A73142F47C2451BB219C87A74E81B96E7F
 23940FBC6E7796A49A503D83EF36E1AF7993B1A8BA8FB45F6BAF2A8D99D7A18E6B4539543A655300B100BA10C
 3FF545842AC61EA954673B49B23790138930602E80A1E9667A062C2578ABE6E419A52575510916CF44ECF9D3D
 2637CB671233074F5AD193DC30191A1A9B8F15D28AEF8CE26A8ADAAEF658F4FE97C9F666819F592A4C8F28835
 4086A119AFAD502C6B46462632D0B8CDF102F1DED0B18D4ADFFA2EEAA52BC8269A8B2217F7B3D808733295577
 2F05B898B187769E50E31903053A8F08215CE763855C0307CB3F06B644B372F1C266B3E7CC4CF0C2B87D5A91
 1DCF9203D1FE104BD73D89FFEF54ED0FAEEABCEAF8390C1DC3B810782737260EA761F64BAD3E19079B167B9CD
 D69726A384DFF4A0A077A3055F52FBABD4658925DC9642F57440EB66D66CDC42E64B0E7E3B867C2502F1670E9
 85DAAE8ACD4252492EFEEDB0DF58EBEF2F7DF71C4076A5093819C653E4BF3CD0E6FCC3105CF32C4155772EB54
 235A50CB376C1577D953F2533F98AE9E1D87666C89F0D9772F97649DBE054AB7FEE5AA1A5DBBCF1316E242603
 F68DC474A2E16C24DC0B1214383A69EBE0F6B061CB653155CB8988A05E10379D8CD9FCFEF4A611AD400EF24D9
 C0613F887BE7BEA83561511ADB7D4F257484D403B1E2492371DEC1AB2B826B03A2AD35CA677D6CEA65F49E5DB
 CBF1CB8C77F48A44E7C3AFF04F605A685EC7A1BC11219E9F5C06D7DACF8423855255D8E3A83F81BC2A72355B
 5B35181588DB1909BD0B1A06721465C97AE589F4D4AE82EF2B4E33A8994683929B28F7E1930F8CAE967BB7233
 5610A8B5CAD131EF6A6754E37D2D466EC2688D7A4EBC36A331E42688C0080760EE19C4F79780EA547919B2D02
 CD9E114A64D9D79919D58FB5FBE3421F1237D346B4F6906773D779101982BF4582C17F41587514DA786C1CB43
 F52A3DB4F3303D27CC1117E9A80F74151A366287276A0B19332E6218035CCB71CE5FD03E3AA667A38296E1294
 1D258A234CBC2BACFA599017823D65A9C357D855F5487362192BF2C561EC91D259FF21CD917D85CCC0725CCF7
 6601DEE8C4C8F58F885D8F7D567819934E4B1CCA4C4F2676624BFE345C9BBD45132BBFC0F7758F37B6B173EE
 A8B63706666D5E3ED56A92B0782879CDE2169E746AE7F6F2FA6FC3BA33426FAF1B98CB9D0B29A64E4C4839B4
 4A7488FD57C052B9040D0D63E12059F4DB4A9BCA5469FF9A09862406D22F901EC4DF68E257B24DA8611D16F54
 49F9A84E6F1A8591067DCFE414C61E74D03428BBCF652FDF1A654690DEC1FABA51695547E52D02FD4087165B2
 A14E44797428E2AE45CE0314AE840335C10645999A0DE0C214485D7749D3DE66F05AF38085E47E82E3608AC77
 7E4E292D05A1185B62EC3FD4331A8BEF81C95EC4193F6AEB4AB4F60788CB1EB2479BBA68DBB8D08C5F049ADB1
 A0B4B2787A4022DD7CC03FE42346C1EA955F1C2E14C4AAE219967B43BFF0618CF37F618C2C2FB12E2DEE52CA6
 FAD8FAEBD6B77F5B15BD994660578BFD5D7C9EC4C0E25738291D3F2F5F5E295F031ACCB456EC12526DFDC6EC8
 8D662C745AE5C160E6A70E6ECB36071ADA0BE98535901C4578CB3F8EDED693F00D65A5C1FE39FDEC69C4DFFDB
 4C6353AEF71688BB7CDBD7CA64E40DA5586691398B04964C04407F593E2D58038049C29C823E7018A3B992222
 BD49EEE42A7786E8F80CB24AFC3E7D50A411E94AFF9AE7AFFF04EF927FEA7BEFC0383E77CAD341AB005889CBE
 6DF2262840DC28F2EA555AA47957136034FDC58879E6A970F9A4104B6483B252ADBC5639EDB1D9986C3B4FE75
 F3415CAAB63475241A99499C83BD9E7B675676A32277B7641C8EB966395AF639E052ED49AC60CAA170E6DA45F
 9EEE59F1B5F04767D763

$y_1 =$ 8CC4BADCC047A06B396C4EA13D26E088A7C6F91E056EBBF3B7B4A131C17C8DB5F886A78562F27AB72B931
 B3F55DBC65023BE9BCB24931BB26163D444D04216A5F2075A3F632AB224D33BFD99AC1496763BABC33EE6542
 0810FE7CDE3C69371630B2EAE4F7AB30D23B4A38B5303A6693DE0C6B4D6A358B66F4E17834A2939EA9169B09
 D945E2670A879D501533928623AD717148D3FF2F769648F22D7E39907B48991B8ADA001811100B5A95F7301A
 608181C09D3D9AA9DF90C35B37E367805B7C8FBE1677774EC67E5D0F85E4B59437C3A18D71F22128E5787827D
 8E27990788661BE6E41E516B76BA4235A33B85F6D2B41788A1DFB272962E371797B3123F480EA1AA1E98F3133
 68EE0241980A27B013AB14C00144529EE2C665E1376AD0C901162334881F1CEEAAABABD687AE0244BE98D39100
 576932FB9F83599A2F6E0C93EBF7883CBAA7BD9196ED86B61CA686C0A456DE62FBF247EE997B9CDAD7FEA51F3
 6DEDEF28BE5BF74E7CB2ACCD2471FAEFADE5259CF8FDA580CD11575B6443CEE53D8E1A683538EC20EE6FB44E
 D9F1CBCDB3C281075397CF6880216B4443A8E7F38D9A6FE5F724373EE077A59632E661058FC77ADEFBD902B39
 6CCBCF72AC94BDF6B2AB0C43DC994228BB51EAF62E156D068834E6D10E8E5A9CED3ABAB7D4F89F86A09251593
 DE28033A5BA3772406509D307FD8D925DB095C61E6B892C43AF1E18130E2FEBD9142764818C6C9665203CFC2F
 86F1A5E6A3CA8E64405DF929F5B64307E0B4475125B7DA14512192F4E4AEBBAA2F8DB7248D96ABEE41B375B4F
 C8FACEEB96ACA326D8668484451259D5625B8FEB9C91CFB67728D6149A0D1832FE29747AFE4D8C9237292E46
 6ECF5B38ECF52DA9C0AFDA624A85F52994700346C419FD8C6DE7CEE5F5821702C8CC85CBC331BD258A767AE0E
 71CA6F0E719BD08B9A930588A41570580B241789EDD420B50A8480E909D6B05DEB1FC382A0A7C13B9540259E7
 2666747CB3A6282B29B2E56658B866976DF5A4A88777AB094528C5474BA2FBC14C0CDA5D7E47B3DDBDE7A4BF7
 9000BA6CF71635F752E8CA7062EB96FAE66D0C22CD13455F8E3C43B420E0DADBDE25E9FA9338DDD4BD1501A19
 B104E2AFD8B04F6FAD859188364533C2656024DD7827E802B6E9409A6F6C9654AEF63F6AE9C8DF692968B5D6C
 AF4C866CD195FDD30F5C7EEDA2F3336A9C07AA6487353C725D1A8C9B81FEB15607868D15C09B04C79BBB64C1
 A894B2053CF7FD91E91C2C270450D80947C6AE956184F83E816D67ACFA4D2C5308F70B82DCD44F90F68A7271
 3FC70731D437C22D2B016CCF8BE156D325974BFA3C4EB53F643A0CD7E92AD2DC05F6BB596F2B63C21BE426B8D
 9C734BA154DD274478C5E60D275032B0A348967448F3136A4F88ABEAD5E43DBB6C4F1E5CDD22062B0759DC88
 81CB9B56F29C36832FE911BA9B171E45A9C109C95E876685247C6EDA92B7C015DA05E90C219477D8F1ABCF35
 F2FE82C89F474BAF70F84851B7CFDDEC318CB7EF76CE5E962E6FD4EC200826ED59E318C8FE2C6BDCDB445C13
 40AFB69E95C5D66FA6967BC8C53F244B3E2EA1A3B80125582689B7916A4053F87AA1C86DDBDCE2C79250CC5F
 96B1FA11C6B5E4B05DA526BBEE5F43FC432B9D67093A705F4C444912D9FACB014CBF6BD09D7933FCF3582D09
 CB980034E4F68FC405FDADFA77DBC7B93198CBF65B51D254CD2A7ECBDC860462BC8FFF2A616C1618585E57C72
 ABB9A48C53305B664D0A779DE9908322A805A121550C530C2C99F01AD1397C307470596838E11746F2DA3CB6A
 AA7F66DE2115DC8B9DA5D549960F3AE98E0D02BD43DEA3FF9E5F61140A576C87DC66194F8F3C0B8F9923EFE6F
 BF4FE78981045E18341FEDD5C540D24D36CD04D4D7061C9ADF94F4BBA64A605EA93D02B4C2952AC38650CB32
 A32D25E61781165995980EE0DA8998D116C5E195BCF13DD31F61E5879A8D391558D7567DD54960DA0C8E02CCC
 F93453A6767399647A2D576573FBFE77AA0E41DA1B1D90AFCB7E3FCF7D1E256FAAA716F43E637417B1231B499
 42FF9A5E3399A15F48EADA90D0810A39ACFAE4E3662C7B61C9F834CFB5F889D38DC222C5A91E69660D1534D9
 270A2B1958188A7B09C27BC65DC05C1F08033AD6B2B881D5D4A63783EE5B5131994B2EAA14E3259941394F379
 E7D2373A4A35BE8FA2773A551E51FD6FB209F5DCA5F6923EA1496CF3C136282425E7EA848C32800AD32B98250
 35FF023445BE2E9E394E6750B7424BEEA531ECE67CE9220463265C82342515C626E89DB8940402AEAB744F77D
 A6141B149FF2D282873CF3A3D4EAE8BF33D7DE5A67C906B740FA6DA2393C32C8A1CEE06530D27221EEA27C8F5
 FC7C68B0D18EBA16F8C025D8DC401381523396FD4432E3054463B73D61F6DBBD4529404BCFB4127428F7172B3
 6FCEBD495C19B10DBFAB629025F6C55219139D66DA304982D468311C28820B1C826552557257925902F2991F0
 11D22F3C7478560A09431B2209F42CF60C2C5F9277D4B53652903FD33B11ED4EABAF1E4603683F390E5CA3EF9
 BABFC7D6098D300A8AA3EB8B9061A34C2CD34DA1DF407C5DB2311CE22A7F1348A3D46F8B937F8A68165CDB722
 1B105BCFD5A1174C05C63FA04EC8EB99B74B4272857900DA9D0287A8F99FB011D928EB4AAD62AEC5D3C322BD
 564122014878F0AFA4352E54F5E

$y_2 = 7E573802A7BE63BC93758B8CF1AFF3215AABFDFD2392F912C3103D5D75557D3A124CD54641A5F601D164E$
 $38AD2830E3959F7AC83C68253088CCED2EC0BD2EF2A6C40922628AC5479E31E345CB7CF1D30F7684BF059F55E$
 $D7D4C6663391E289FB414A132BB8F5815E328CF40209823A7328337D513B29571CC7002617D5EEEC9D25A0D05$
 $FF8A648B3CD2E25E79FE92873AD1504340A400718F21F44E48D265969410604D0120A27A9FA195A470F863EAC$
 $0AF5C909C922C25419F7A556D5BFCFA7454BE524D639F7A2B365D3EF05201B57F0E5706DDC11A3BD43BEE55F9F$
 $11B5CB7215C7B16C4E94FD9FFA767DD244787E05057C92DDEDAEDC99BBF7153E79B5F88AB819E4F92C8F85B2B$
 $225A5200C281F25B4FF313AC9D14AF53EA2EC963E74F0E15513C0900E97B66F74C1798512EAB62EC3DC00BF7$
 $32794FC0FD195A9589E5F85FF7F5C04E0E054720BFA685D1C966B0B14A23817C0504C0A4A819ABC992BDD18FF$
 $55BE0B51E49DDA625589447850E22C7BA335A3B26AEE31BAFA90B6DDA111E62F1DD97F097DD9EEC027009DD36$
 $5BE01B892E2BEAD915EF07D0CA919C473D03B00C2BF3692B5FF330E86FA0C544D53F16DAD6E5E6216E667BC7D$
 $E3F92D0D3892F349A9CC152AA81B2D5566E661B8AD46921A31672167CD3F1D6F281CAD8A8875DB805F4B5A67B$
 $75912269FD4CC2B2CC3A3FA05F9BFF1A0A5CA51748F16DDFCF81712F30E64B6E666519E7B7FB40B33BEB870A1$
 $A7A3EA355962F2AAF3B9A7A3D51D6DB2B242B4725E7FBEC352689E89B14D73EBE49B52AD3B555546F22B6CB3C$
 $92F4BC8199F3749780547E2FD517A89C09F58DE59E4F232AE2B86C9079D2742F2F28F67543789159C40A6F213$
 $19697CB0E373F286D66D8A9C41956BCA1D76A8A223FB32E9C4D06B0D599BC4A6429F16F3030DC3A9A19F4A408$
 $B62311EF8492E0039969A9F9855AD70709C7069478F6E987C48EE7491AC2B977DD1BD708F15C594EED3B0BAA3$
 $6081A8D79A4E2574104B4AA2087D3678151B9834257BE1AFD9376E94F185C6CAE96EB15603BDC770473BE999F$
 $C3C3F164CC41D395FFEBE639F501A520228ADCB29A0766DDF903366DD76C9E38D1A4C7A93337F4FC8D51C35F$
 $9222744A50479981D7B3EC62156DDC4E7854CC65F1CC346D41257FEA4BA76FA958A1BABE1EEB0A1424EB8FEC$
 $A39564A82A6397BC5F4E8F2F57057EEFC0167E45B0307D765505D6F3A59931F26E1F5A4615ED4AD4D28719B93$
 $96C1823A10061F252450690E8682B096ABE38B8B32AF56355B495FB7C476AE1B42DED73BC4115B5DD2E6D128$
 $B13AC87ADF93CCB0D4A1AF08B716E994555A817A8140983404FE1721B56B8FF27A861AE4D1C1B33B68DED15B9$
 $EE3F2853504B6868C2D2E42DAFF8009DB3B1E502DD2C538698B5E9082A7BB7D85817BE30321D81E47F805C5C1$
 $DB2F94A2F33DD69C6545D74B4DC657FCAAF381CD0C0C9D612D607E9FFB4A357D5E99FFF1A62FB8B1E31248FE5$
 $B3057CB1461DBB2A675F049DC4563E904313586798B1100A514E356DA1DF97834EAFAD461537128EECAA26D996$
 $02CD887DE69685FF4E475D831B1CE5DE0BE2AA0A2DFAD1D687F8BC22EC267E168288003F4067E12083E4763B4$
 $164C28F7806945157B56922ED4B8F3B8320F68D48F92F7253F323FF09429A26E0167CB45E13072AC1B6CF8A37$
 $BED49CF2AE526B370EC01DA889610965C455008FE39788C04218F5DD983E0888EC71FEE3462760E03A4770039$
 $EB88BFEFF081BE4E05DBAA56B46419611CC2C3ABBC958476AAC4D6262FC465A0BDEDDC38AD93B238CF4F06390$
 $4EA76BBAB4BEDB3EC88AC9738CDBE91082B23D2E5C3219839758EB8E4EC5F75E2650C422B04347EA1B8804029$
 $0B3F710C82F48B285D8A2C2622CFD626A2A2F30156CF59AE95088D4A5E9881B91764A3884EAD2B4E554219D67$
 $10D09AF296BC29677BAD142008AC505DC442E24DA8ABEABABD4D7BA9E7A835FBDEE0AF9225CBE2E0AE933119$
 $1D92102884ED8203AEA50E57E4042A897AA95B0EF0A7DE57141B0C3E0B803D7C587E80760427DA83CD06E70B0$
 $99779F5208A1F1A496F3DFFF8C14DADA812866A0457B37CDA62893799156A557C914FBBAE7FEDE079BE8A7981$
 $7A39606FD512F227022010FF4196AAAB8E15C24BCA32C674778387F75A505F18428A5D4809F7BD14FC34B2185$
 $518A9ECCAF98AA7E7247A51AA65F1212B496EFB6AA3E37F0BAC8997D73730EC630E90812D8F80A2CBECDD55EFF$
 $47EBF578CF87C92D7EEEC4863CE0D21D06CC26BD3CA57A396168AFD09A5F6097587C34E809A8A6E6480E8EC41$
 $02FC9DDB9CBE9A444A0292C1BBDB28A010223D11E38ECCB13AE613B1648370C108DD3EF191413EEA037B77AB7$
 $E63F8F267286B4DBCB20FF90EB4FB4E5C6CB9266E1C579F6B1586FAB628A603AF3A49251447DC806A4901EF31$
 $74C1EE9EC0A397BDF2FDE5624B97C4332C0D88EF74F2991DEF5CC065C9B8E949A10BC9E3CEF7CCA2BD9976595$
 $F5DF814C769669157E10377E9015E258208A741619FC4B3A09EF8F3373D5978C85742CE4660D75C35617FC749$
 $66A40BA8FE7D71CF7DEAB4F7AD987A3AD4D70FF96C84DB083A3E1D368A51160D40EE6CE55CABA01D28A1419BA$
 $CD5E92FB3B702F8571956F649D9EA922BDF6CD98365126D15A4CD27BF3CF515BBCDC8600593BEFFA4B7D5977C$
 $7AF77E0050964E3612E$

$W = 1E44DD50F00E24D170C7425ADA4004B67F5784BAFA47C7E93BB2C9F64922711CC65998BAC411611F5D9E0$
 $46B4295AC32494244C87BF3314DF13411F02C316F7F$

$Z =$ 8CC4BADCC047A06B396C4EA13D26E088A7C6F91E056EBBF3B7B4A131C17C8DB5F886A78562F27AB72B931 B3F55DBC65023BE9BCB24931BB26163D444D04216A5F2075A3F632AB224D33BFD99AC1496763BABC33EE6542 0810FE7CDE3C69371630B2EAE4F7AB30D23B4A38B5303A6693DE0C6B4D6A358B66F4E17834A2939EA9169B09 D945E2670A879D501533928623AD717148D3FF2F769648F22D7E39907B48991B8ADA001811100B5A95F7301A6 08181C09D3D9AA9DF90C35B37E367805B7C8FBE1677774EC67E5D0F85E4B59437C3A18D71F22128E5787827D 8E27990788661BE6E41E516B76BA4235A33B85F6D2B41788A1DFB272962E371797B3123F480EA1AA1E98F3133 68EE0241980A27B013AB14C00144529EE2C665E1376AD0C901162334881F1CEEAAABABD687AE0244BE98D39100 576932FB9F83599A2F6E0C93EBF7883CBAA7BD9196ED86B61CA686C0A456DE62FBF247EE997B9CDAD7FEA51F3 6DEDEF28BE5BF74E7CB2ACCD2471FAEFADE5259CF8FDA580CD11575B6443CEE53D8E1A683538EC20EE6FB44E D9F1CBCDB3C281075397CF6880216B4443A8E7F38D9A6FE5F724373EE077A59632E661058FC77ADEFBD902B39 6CCBCF72AC94BDF6B2ABOC43DC994228BB51EAF62E156D068834E6D10E8E5A9CED3ABAB7D4F89F86A09251593 DE28033A5BA3772406509D307FD8D925DB095C61E6B892C43AF1E18130E2FEBD9142764818C6C9665203CFC2F 86F1A5E6A3CA8E64405DF929F5B64307E0B4475125B7DA14512192F4E4AEBBAA2F8DB7248D96ABEE41B375B4F C8FACEEB96ACA326D8668484451259D5625B8FEB9C91CFB67728D6149A0D1832FE29747AFE4D8C9237292E46 6ECF5B38ECF52DA9C0AFDA624A85F52994700346C419FD8C6DE7CEE5F5821702C8CC85CBC331BD258A767AE0E 71CA6F0E719BD08B9A930588A41570580B241789EDD420B50A8480E909D6B05DEB1FC382A0A7C13B9540259E7 2666747CB3A6282B29B2E56658B866976DF5A4A88777AB094528C5474BA2FBC14C0CDA5D7E47B3DDBDE7A4BF7 9000BA6CF71635F752E8CA7062EB96FAE66D0C22CD13455F8E3C43B420E0DADBBE25E9FA9338DDD4BD1501A19 B104E2AFD8B04F6FAD859188364533C2656024DD7827E802B6E9409A6F6C9654AEF63F6AE9C8DF692968B5D6C AF4C866CD195FDD30F5C7EEDA2F3336A9C07AA6487353C725D1A8C9B81FEB156078568D15C09B04C79BBB64C1 A894B2053CF7D91E91C2C270450D80947C6AE956184F83E816D67ACFA4D2C5308F70B82DCD44F90F68A72713 FC70731D437C22D2B016CCF8BE156D325974BFA3C4EB53F643A0CD7E92AD2DC03F6BB596F2B63C21BE426B8D 9C734BA154DD274478C5E60D275032B0A348967448F3136A4F88ABEAD5E43DBB6C4F1E5CDD22062B0759DC88 81CB9B56F29C36832FE911BA9B171E45A9C109C95E876685247C6EDA92B7C015DA05E90C219477D8F1ABCF35 F2FE82C89F474BAF70F84851B7CFDDEC318CB7EF76CE5E962E6FD4EC200826ED59E318C8FE2C6BDCDB445C13 40AFB69E95C5D66FA6967BC8C53F244B3E2EA1A3B80125582689B7916A4053F87AA1C86DDBDCE2C79250CC5F 96B1FA11C6B5E4B05DA526BBEE5F43FC432B9D67093A705F4C444912D9FACB014CBF6BD09D7933FCF3582D09 CB980034E4F68FC405FDADFA77DBC7B93198CBF65B51D254CD2A7ECBDC860462BC8FFF2A616C1618585E57C72 ABB9A48C53305B664D0A779DE9908322A805A121550C530C2C99F01AD1397C307470596838E11746F2DA3CB6A AA7F66DE2115DC8B9DA5D549960F3AE98E0D02BD43DEA3FF9E5F61140A576C87DC66194F8F3C0B8F9923EFE6F BF4FE78981045E18341FEDD5C540D24D36CD04D4D7061C9ADF9B94F4BBA64A605EA93D02B4C2952AC38650CB32 A32D25E61781165995980EE0DA8998D116C5E195BCF13DD31F61E5879A8D391558D7567DD54960DA0C8E02CCC F93453A6767399647A2D576573FBFE77AA0E41DA1B1D90AFCB7E3FCF7D1E256FAAA716F43E637417B1231B499 42FF9A5E3399A15F48EADAE90D0810A39ACFAE4E3662C7B61C9F834CFB5F889D38DC222C5A91E69660D1534D9 270A2B1958188A7B09C27BC65DC05C1F08033AD6B2B881D5D4A63783EE5B5131994B2EAA14E3259941394F379 E7D2373A4A35BE8FA2773A551E51FD6FB209F5DCA5F6923EA1496CF3C136282425E7EA848C32800AD32B98250 35FF023445BE2E9E394E6750B7424BEEA531ECE67CE9220463265C82342515C626E89DB8940402AEAB744F77D A6141B149FF2D282873CF3A3D4EAE8BF33D7DE5A67C906B740FA6DA2393C32C8A1CEE06530D27221EEA27C8F5 FC7C68B0D18EBA16F8C025D8DC401381523396FD4432E3054463B73D61F6DBBD4529404BCFB4127428F7172B3 6FCEBD495C19B10DBFAB629025F6C55219139D66DA304982D468311C28820B1C826552557257925902F2991F0 11D22F3C7478560A09431B2209F42CF60C2C5F9277D4B53652903FD33B11ED4EABAF1E4603683F390E5CA3EF9 BABFC7D6098D300A8AA3EB8B9061A34C2CD34DA1DF407C5DB2311CE22A7F1348A3D46F8B937FA8ACF3ADCB804 68276843FB4EBB4C512E35189A78901635DEFD9F24DD9301AECEED42854BF127EB1EC52AF416D82096E7B6E1 A2C8E1345D5803F0C337F16BEDC
$r_1 =$ 0F274329DE32A41AB862AA6F2A133003999DDABB4EE9B9DA184C46159429C90BE93D43B365E8C6D4709EB A73F9095CB34CD9CAE216B6581F700E8F698C6E4806
$K_s =$ D411C17E9EE9AC3C9EA219444EAF16C98E6C501E66EB8F3F9EA44371E623A90A3574484217B720ECAD52 209C61A1A25A765112B2E2C483E7CD49B459261E8C2
$K_i =$ E532EA72755FBAE2EE90F898BF74DEC92B8C0CFE583AF0EC667AA11500949C9A
$K_m =$ 350FB5D79B79A7E52696FEC3E393781FE33B4FCE47D5237E30DB1C9A3E414641
$O_A =$ F81DF642047CB3E6839B74C90769F11A877BDC2F8E0C8422AA306342E1DB8322DDFD87E99399F8E7DA97B 19F70AD1F57C30FE9EB552094D33B9D68F21FD237A0
$O_B =$ 86823B6BD9A3B05632D596CF95A2DE0B6F7390E6674F89C0799C2ECF1E2A96AD011F27C0C54AFD2E14811 E3D91E681F81D76BD227055968EE7DF0E9E37152110
$A'_2 =$ 9828A952FC383373C545645A0F55566563E6388A7E4C4B4B9A2CA6B9D44FED5C5E43515FE3FAE29F8454 52F415EB747969C9116209B83D6A2B3F4FF0B9A0AAB7
$A''_2 =$ 2A3A220C175BAF8CD0992F74E7932FA1A358D57EB5E23466D7542D5C430F344435E61830CBB6F18263CD C8892A8B7A803DD59DF3D6508B2799A3F3BE2D95A0A4
$u_2 =$ 2548B0FDCBE747981F69F7B49839F0F08D18B797C3D1D3071DCD969EC504A864FC5921A6DAC5D4743412D 115F360A7604BDC0978875352377D54B4B0820B51AF
$v_2 =$ D24C427D3DA227B001A8CD18FA9B0872A3B2E650A11B726A4A6C63B4F5018636243AD4F8A91791773EBC1 4E26B05D6A2AF834F1A15D3ED48C87C4FC43432F50F