

INTERNATIONAL STANDARD

ISO
14951-9

First edition
1999-10-01

Space systems — Fluid characteristics —

Part 9: Argon

*Systèmes spatiaux — Caractéristiques des fluides —
Partie 9: Argon*



Reference number
ISO 14951-9:1999(E)

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

International Standards are drafted in accordance with the rules given in the ISO/IEC Directives, Part 3.

Draft International Standards adopted by the technical committees are circulated to the member bodies for voting. Publication as an International Standard requires approval by at least 75 % of the member bodies casting a vote.

International Standard ISO 14951-9 was prepared by Technical Committee ISO/TC 20, *Aircraft and space vehicles*, Subcommittee SC 14, *Space systems and operations*.

ISO 14951 consists of the following parts, under the general title *Space systems* — *Fluid characteristics*:

- Part 1: Oxygen
- Part 2: Hydrogen propellant
- Part 3: Nitrogen
- Part 4: Helium
- Part 5: Nitrogen tetroxide propellant
- Part 6: Monomethylhydrazine propellant
- Part 7: Hydrazine propellant
- Part 8: Kerosene propellant
- Part 9: Argon
- Part 10: Water
- Part 11: Ammonia
- Part 12: Carbon dioxide
- Part 13: Breathing air

© ISO 1999

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from the publisher.

International Organization for Standardization
Case postale 56 • CH-1211 Genève 20 • Switzerland
Internet iso@iso.ch

Printed in Switzerland

Space systems — Fluid characteristics —

Part 9: Argon

1 Scope

This part of ISO 14951 specifies limits for the composition of argon (Ar) and test methods for verification of its composition. This part of ISO 14951 is applicable to argon of the following types, intended for purging and pressurization of space systems:

- type I: gaseous;
- type II: liquid.

This part of ISO 14951 is applicable to argon used in both flight hardware and ground facilities, systems, and equipment. It is applicable to influents only to the extent specified herein.

2 Composition

2.1 Limits

The composition of argon delivered to the flight vehicle interface shall be in accordance with the limits given in Table 1 when tested in accordance with the applicable test methods.

2.2 Moisture content

When tested as specified in 3.2, the argon shall contain not more than 0,02 mg of water vapour per litre of gas when measured at 21,1 °C and 101,3 kPa (1 atm) absolute or have a dew point of 53,8 °C or colder.

3 Test methods

3.1 Sampling

The argon should be selected in accordance with a sampling plan that will produce results with sensitivities and accuracies equivalent to or better than those required to meet the programme or project requirements.

3.2 Composition tests

The composition of the argon shall be tested by such methods, apparatus, or analyzers as may be required to produce results with the sensitivities and accuracies necessary to meet programme or project requirements.

Table 1 — Composition limits

Composition	Limit volume fraction, %
Argon	99,985 min.
Oxygen	0,005 max.
Hydrogen	0,005 max.
Nitrogen	0,005 max.

STANDARDSISO.COM : Click to view the full PDF of ISO 14951-9:1999