

# TECHNICAL REPORT

ISO/TR  
20078-4

First edition  
2019-04

## Road vehicles — Extended vehicle (ExVe) web services —

### Part 4: Control

*Véhicule routiers — Web services du véhicule étendu (ExVe) —  
Partie 4: Contrôle*

STANDARDSISO.COM : Click to view the full PDF of ISO/TR 20078-4:2019



Reference number  
ISO/TR 20078-4:2019(E)

© ISO 2019



**STANDARDSISO.COM : Click to view the full PDF of ISO/TR 20078-4:2019**

**COPYRIGHT PROTECTED DOCUMENT**

© ISO 2019

All rights reserved. Unless otherwise specified, or required in the context of its implementation, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office  
CP 401 • Ch. de Blandonnet 8  
CH-1214 Vernier, Geneva  
Phone: +41 22 749 01 11  
Fax: +41 22 749 09 47  
Email: [copyright@iso.org](mailto:copyright@iso.org)  
Website: [www.iso.org](http://www.iso.org)

Published in Switzerland

## Contents

	Page
<b>Foreword</b>	<b>iv</b>
<b>1 Scope</b>	<b>1</b>
<b>2 Normative references</b>	<b>1</b>
<b>3 Terms, definitions and abbreviations</b>	<b>1</b>
<b>4 Roles</b>	<b>1</b>
4.1 Resource owner	1
4.1.1 Resources	1
4.1.2 Containers	2
4.2 Accessing Party	3
4.3 Offering Party	4
<b>5 Processes</b>	<b>4</b>
5.1 Registration	4
5.1.1 Accept registration of a requesting Party	4
5.1.2 Reject Registration of a requesting Party	4
5.1.3 Accept Resource Owner Registration	5
5.1.4 Reject Resource Owner Registration	5
5.2 Resources	6
5.2.1 Grant Access to Resources	6
5.2.2 Reject Access to Resources	7
5.2.3 Ignore Access Request to Resources	8
5.2.4 Revoke Access to Resources	8
5.3 Containers	9
5.3.1 Creation of a Container	9
5.3.2 Deletion of a Container	9
5.3.3 Grant Access to Resources grouped by a Containers	10
5.3.4 Reject Access to Containers	11
5.3.5 Ignore Access Request to Containers	12
5.3.6 Revoke Access to Containers	12
5.4 Resource Access	13
5.4.1 Access	13
5.4.2 No Access	13
<b>Annex A (informative) Registration of the service/application owner at the Accessing Party</b>	<b>15</b>
<b>Bibliography</b>	<b>16</b>

## Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

The procedures used to develop this document and those intended for its further maintenance are described in the ISO/IEC Directives, Part 1. In particular, the different approval criteria needed for the different types of ISO documents should be noted. This document was drafted in accordance with the editorial rules of the ISO/IEC Directives, Part 2 (see [www.iso.org/directives](http://www.iso.org/directives)).

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights. Details of any patent rights identified during the development of the document will be in the Introduction and/or on the ISO list of patent declarations received (see [www.iso.org/patents](http://www.iso.org/patents)).

Any trade name used in this document is information given for the convenience of users and does not constitute an endorsement.

For an explanation of the voluntary nature of standards, the meaning of ISO specific terms and expressions related to conformity assessment, as well as information about ISO's adherence to the World Trade Organization (WTO) principles in the Technical Barriers to Trade (TBT) see [www.iso.org/iso/foreword.html](http://www.iso.org/iso/foreword.html).

This document was prepared by Technical Committee ISO/TC 22, *Road vehicles*, Subcommittee SC 31, *Data communication*.

A list of all parts in the ISO 20078 series can be found on the ISO website.

Any feedback or questions on this document should be directed to the user's national standards body. A complete listing of these bodies can be found at [www.iso.org/members.html](http://www.iso.org/members.html).

# Road vehicles — Extended vehicle (ExVe) web services —

## Part 4: Control

### 1 Scope

This document describes the processes of an Offering Party's implementation to provide (ISO 20078-2) Access controlled (ISO 20078-3) Resources (ISO 20078-1) to Accessing Parties. The processes are summarized as: Registration of different stakeholder as well as granting, denying and revoking of Access to Resources. Those processes are held as examples of combining ISO 20078-1, ISO 20078-2 and ISO 20078-3 and can vary depending on the actual implementation of the Offering Party.

### 2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

ISO 20078-1, *Road vehicles — Extended vehicle (ExVe) 'web services' — Part 1: Content*

### 3 Terms, definitions and abbreviations

For the purposes of this document, the terms, definitions and abbreviations given in ISO 20078-1 apply.

ISO and IEC maintain terminological databases for use in standardization at the following addresses:


- ISO Online browsing platform: available at <https://www.iso.org/obp>
- IEC Electropedia: available at <http://www.electropedia.org/>

### 4 Roles

#### 4.1 Resource owner

##### 4.1.1 Resources

The Resource Owner is in control of the access to its Resources. To control access, the Resource Owner uses the processes: granting, denying, ignoring and revoking.



**Figure 1 — The Resource Owner grants, denies or revokes access to Resources**

[Figure 1](#) illustrates an example of how a Resource Owner controls access to Resources offered to the accessing Party by the offering Party. The Resource Owner can grant, deny or revoke access (ISO 20078-3) to its Resources at any time.


- Granting: The Resource Owner reviews the resources presented by the Offering Party and decides to **grant** access to the Accessing Party.
- Denying: The Resource Owner reviews the Resources presented by the Offering Party and decides to **deny** access to the Accessing Party.
- Ignoring: The Resource Owner does not grant or deny access to the Accessing Party. The request stays pending for a pre-defined time, after which it will be denied.
- Revoking: The Resource Owner revokes an already granted access to an Accessing Party.

NOTE The Accessing Party is a third-party service provider or the VM when acting as a service provider both acting for after sales services after the ExVe has been sold or leased.

#### 4.1.2 Containers

The Resource Owner is in control of the Access (ISO 20078-3) to their Resources (ISO 20078-1) grouped by a Container. The Resource Owner uses the processes: registration, granting, denying, ignoring, revoking to grant, deny or revoke Access Resources.

The content of a Container is defined by the Accessing Party or the Offering Party. The Offering Party offers the Container with the granted Resources if available.



**Figure 2 — The Resource Owner grants, denies or revokes Access to Containers**

[Figure 2](#) displays an example for one Accessing Party. The Accessing Party or the Offering Party defines Containers, each identified by a unique “CID”, to Access Resources of the Offering Party. The Resource Owner can individually grant, deny or revoke — at any time — Access (ISO 20078-3) to Resources of defined Containers (ISO 20078-1). Such decisions made by the Resource Owner are collectively called the *request permission processes*. Possible states or outcomes of these processes are:

- *Granted*: A certain Container is defined by the Accessing or the Offering Party. The Resource Owner grants Access to the Container for the Accessing Party. Through this grant process the Resource Owner verifies that both the Resources, and the purpose of data processing of the Container are presented by the Offering Party; see [Figure 15](#) and/or [Figures 16](#) and [17](#).
- *Denied*: A certain Container is defined by the Accessing or the Offering Party. The Resource Owner denies the Access to the Container for the Accessing Party. Because of this action, the Resource Owner does not approve the Access to the Resources and/or the purpose of data processing of the Container that are presented by the Offering Party; see [Figure 18](#).
- *Pending/Ignored*: A certain Container is defined by the Accessing or the Offering Party and selected for a grant request. After starting the request, the Resource Owner does not continue to either grant or to deny. The request stays pending as long as it is ignored by the Resource Owner. If a pre-defined time passes, and the request has been ignored, it is denied by the Offering Party; see [Figure 19](#).
- *Revoked*: A certain Container is defined by the Accessing Party or the Offering Party and was granted by the Resource Owner. After a certain time, the Resource Owner revokes the Access to Resources of the Container for the Accessing Party. This immediately denies any further Access to Resources for the Accessing Party; see [Figure 20](#).

## 4.2 Accessing Party

The Accessing Party uses the issued credentials to authenticate itself when requesting Access tokens from the Offering Party. To retrieve an Access token and Access the Resource Owner's Resources, an explicit grant from the Resource Owner is required.

Afterwards the Accessing Party registers its own digital customers on its digital services/applications and/or on its resource providing services; see Annex A.1 as an example.

These digital customers consume the digital services/applications that are developed, offered and maintained by the Accessing Party. These services are available for use for as long as Access to Resources of the Offering Party is granted by the Resource Owner.

## 4.3 Offering Party


The Offering Party makes Resources available via web-services for Access by an Accessing Party. The Offering Party provides Access to Resources based on the consent of the Resource Owner either on a single resource or Resources grouped by a Container. Additionally, the Offering Party manages the processes defined in [\(Clause 5\)](#).

## 5 Processes

### 5.1 Registration

#### 5.1.1 Accept registration of a requesting Party

A requesting Party (not yet an Accessing Party) sends a registration request with the mandatory registration information (identification) to the Offering Party.



**Figure 3 — Registration request of a requesting Party accepted by the Offering Party**

The approval of the registration is in responsibility of the Offering Party. If the registration is approved, the Offering Party provides information on how to Access web-services and (if available) web portals, e.g. web service documentation, URIs and necessary credentials.


After successful registration, the requesting Party receives the role of an Accessing Party and may (for example) create Containers.

The registration process ([Figure 3](#)) can be online, offline or a combination of both.

NOTE Accessing Party ID (APID) and Accessing Party Credentials (APC) are issued; see ISO 20078-1.

#### 5.1.2 Reject Registration of a requesting Party

A requesting party sends a registration request with the mandatory registration information to the Offering Party.




**Figure 4 — Registration of a requesting party is rejected by the Offering Party**

The Offering Party verifies the request. Invalid requests are rejected, e.g. if the identity cannot be verified, or information is missing (see [Figure 4](#)). If technically possible, the requesting party is informed of the reason.

If circumstances change and any registrations become invalid, the Offering Party cancels such registrations.

### 5.1.3 Accept Resource Owner Registration

A Resource Owner sends a registration request including the mandatory information (identification) to the Offering Party.




**Figure 5 — Accepting registration of the Resource Owner at the Offering Party**

The Offering Party verifies the request. If the request can be approved, the Offering Party provides information to allow the Resource Owner to manage Access to its Resources, e.g. credentials (ROCOP, see 20078-1), instructions and URIs to portals.

The registration process ([Figure 5](#)) can be online, offline or a combination of both.

NOTE The Resource Owner can register independently at the Accessing Party; see [Annex A](#).

### 5.1.4 Reject Resource Owner Registration



**Figure 6 — Rejecting registration of the Resource Owner at the Offering Party**

A Resource Owner sends a registration request including the mandatory registration information (identification) to the Offering Party.


If possible, the Resource Owner is informed about the reason (for example, it was not possible to verify the identity, or general information is missing).

If circumstances change and any registrations become invalid, the Offering Party cancels such registrations (see [Figure 6](#)).

## 5.2 Resources

### 5.2.1 Grant Access to Resources

After registering and selecting Resources, the Accessing Party can initiate the granting process, by requesting consent *directly* from the Resource Owner to retrieve Access (ISO 20078-3) to Resources at the Offering Party.




**Figure 7 — Granting Access to Resources**

[Figure 7](#) shows the process for granting Access to Resources by the Resource Owner at the Offering Party. The Resource Owner starts at the Accessing Party and is redirected to the Offering Party. On both sides, the Resource Owner authenticates by separate credentials. For the Resource Owner side, those credentials are the ROCAP, and for the Offering Party those credentials are the ROCOP (see; ISO 20078-1). After authentication with the Offering Party, the Resource Owner checks the Resources to be granted (ISO 20078-3). When granting Access, the Offering Party can generate an AccessID, which will be transferred securely to the Accessing Party.

The AccessID should be stored at the Accessing Party and at the Offering Party.

The process of [Figure 7](#) can be simplified to an implicit grant.




**Figure 8 — Implicitly granting Access to Resources**

[Figure 8](#) shows the process for implicitly granting Access to Resources by the Resource Owner at the Offering Party. The Resource Owner starts at the Offering Party and authenticates using their ROCOP (ISO 20078-1) credentials. After authentication the Resource Owner lists the Accessing Parties and selects an Accessing Party. Whilst granting, the Resource Owner selects Resources from a list and/or Resource Groups. The Offering Party requests consent for Access to the chosen Resources and/or Resource Groups for the selected Accessing Party. The Resource Owner grants this request.

NOTE 1 The Accessing Party is not (necessarily) in an active role at the process of [Figure 8](#).

NOTE 2 The process of [Figure 9](#) follows after the process of [Figure 8](#).




**Figure 9 — Requesting Access to Resources**

[Figure 9](#) completes the implicit granting of [Figure 8](#). The Accessing Party is requesting Access to Resources. The Offering Party checks the given consent (grant) for this request. If the request can be validated, an AccessID (AID; ISO 20078-1) is generated and transferred to the Accessing Party. This AID allows the Accessing Party to Access Resources at the Resource Provider (ISO 20078-3).

### 5.2.2 Reject Access to Resources

As shown by [Figure 7](#) for granting Access, the Resource Owner could also deny the request for Access made by the Accessing Party.




**Figure 10 — Rejecting Access to Resources**

Figure 10 displays the process for requesting Access consent for Resources that are denied by the Resource Owner at the Offering Party.

### 5.2.3 Ignore Access Request to Resources

As shown by Figure 7 for granting Access, the Resource Owner could also ignore the Access consent request made by the Accessing Party for Resources.




**Figure 11 — Ignoring Access Request to Resources**

Figure 11 displays the process for requesting Access consent for Resources that are ignored by the Resource Owner at the Offering Party. The Resource Owner neither grants Access nor rejects the request for Access. The Offering Party should set a time out (or time to live) interval that automatically rejects the request for Access consent after a certain time period towards the Accessing Party.

### 5.2.4 Revoke Access to Resources

The Resource Owner revokes a granted Access to Resources at the Offering Party.



**Figure 12 — Revoking Access to Resources**

**Figure 12** shows the *process for the Resource Owner revoking Access*. The Resource Owner authenticates at the Offering Party by its ROCOP (ISO 20078-1). Afterwards the Resource Owner is able to list all grants on Resources and is able to revoke a — selected — granted Access on Resources of an Accessing Party.


The revocation of Access to Resources is validated against the Resource Owner and may be validated against the Accessing Party. During the next request for Access, the Accessing Party immediately receives a notification of the revoked Access by the Offering Party. This may be e.g. a HTTP status code like 403 (ISO 20078-2).

### 5.3 Containers

#### 5.3.1 Creation of a Container

The following sections define the processes for creating and deleting Containers by an Accessing or Offering Party, additionally granting, rejecting, ignoring as well as revoking Access on Resources grouped by Containers.

The Offering Party can create Containers (ISO 20078-1) out of a Superset of Resources.



**Figure 13 — Creating a Container**

**Figure 13** displays the *process for creating a Container* (ISO 20078-1) by the Accessing Party. The generated ContainerID (CID) and related internal parameters are stored at the Offering Party. The CID is passed securely to the Accessing Party. It enables the Offering Party to e.g., delete a Container or use the CID when accessing data.

The Accessing Party can repeat the process of **Figure 13** or repeat it in parts [e.g. only createContainer(..)] by N times.

#### 5.3.2 Deletion of a Container

An Accessing Party can delete a certain Container using its ContainerID by the following process.




Figure 14 — Deleting a Container

In [Figure 14](#) the Accessing Party authenticates, is authorized, and selects or sends the CID (ISO 20078-1) to the Offering Party, indicating a request to delete the selected Container. The Offering Party uses the transmitted CID to identify the Container to be deleted.

The Accessing Party can repeat the process, or the relevant part `deleteContainer()`, of [Figure 14](#); to delete more than one Container.

### 5.3.3 Grant Access to Resources grouped by a Containers

After the creation of a certain Container, the Accessing Party requests Access permission (consent by Resource Owner) to the grouped Resources. The Access permission is granted by the Resource Owner. The Resource Owner may use the client application of the Accessing Party to initiate a grant. But to confirm and manage grants, the Resource Owner uses the client application of the Offering Party (see [Figure 15](#)).





Figure 15 — Granting Access to Containers

[Figure 15](#) shows the process for granting Access to Containers by the Resource Owner at the Offering Party. The Resource Owner starts at the Accessing Party and is redirected to the Offering Party. On both sides the Resource Owner authenticates by separate credentials. For the Accessing Party side, these are the ROCAP credentials, and for the Offering Party these are the ROCOP (ISO 20078-1) credentials.

After authentication at the Offering Party, the Resource Owner checks the name and the purpose of the Container as well as the covered Resources to be granted. By granting Access to the Container, the Offering Party may generate an AccessID and transfers this securely to the Accessing Party.

The AccessID should be stored at the Accessing Party and at the Offering Party.

The process of [Figure 15](#) can be simplified to an implicit grant.




**Figure 16 — Implicitly granting Access to Resources grouped by Containers**

[Figure 16](#) shows the process for implicitly granting Access to Containers by the Resource Owner at the Offering Party. The Resource Owner starts at the Offering Party and authenticates using their ROCP (ISO 20078-1) credentials. After authentication the Resource Owner lists the Accessing Parties and selects an Accessing Party. Next the available Container(s) are listed, where the Resource Owner selects from for granting. The Offering Party requests Access consent to the selected Container(s) for the selected Accessing Party. The Resource Owner grants this request.

NOTE 1 The Accessing Party is not (necessarily) in an active participating in the process of [Figure 16](#).

NOTE 2 The process of [Figure 17](#) follows after the process of [Figure 16](#).




**Figure 17 — Requesting Access to Resources**

[Figure 17](#) completes the implicit granting of [Figure 16](#). The Accessing Party is requesting Access to Resource grouped by Containers. The Offering Party checks the given consent (grant) for this request. If the request can be validated, an AccessID (AID; ISO 20078-1) is generated and transferred to the Accessing Party. This AID allows the Accessing Party to Access Resources at the Resource Provider (ISO 20078-3).

### 5.3.4 Reject Access to Containers

The Resource Owner could also deny the request for Access permission of the Accessing Party.




**Figure 18 — Denying Access to Resources grouped by Containers**

Figure 18 displays the process for requesting Access consent for Access on Resources grouped by Containers that is denied by the Resource Owner at the Offering Party.

### 5.3.5 Ignore Access Request to Containers

As shown by Figure 15 for granting Access, the Resource Owner could also ignore the request for Access consent to Resource grouped by a Container.




**Figure 19 — Ignoring Access request to Resource grouped by Containers**

Figure 19 displays the process for requesting consent to Access Resources grouped by a Container that is ignored by the Resource Owner at the Offering Party. The Resource Owner may support its ROCOP (ISO 20078-1) towards the Offering Party but neither grants nor rejects the request for Access. The Offering Party should set a time out (or time to live) interval that automatically rejects the request for consent towards the Accessing Party after a certain time period.

### 5.3.6 Revoke Access to Containers

The Resource Owner should be able to revoke a granted Access to Resources grouped by Containers at the Offering Party.



**Figure 20 — Revoking Access to Resources grouped by Containers**


**Figure 20** shows the *process* for the Resource Owner revoking Access. The Resource Owner authenticates at the Offering Party by its ROCOP (ISO 20078-1). The Resource Owner is able to list all Containers which relate to the granted Access to Resources. The Resource Owner revokes a granted Access(es) by selecting a Container.

The revocation of Access to Resources grouped by Containers can be validated by the Accessing Party. During the next request for Access, the Accessing Party immediately receives a notification of the revoked Access by the Offering Party. This may be e.g. a HTTP status code like 403.

## 5.4 Resource Access

### 5.4.1 Access

After being granted Access, it is possible for the Accessing Party to request Resources; see [Figure 21](#). The Accessing Party accesses a resource URI, provides in the Access Token an AccessID or ContainerID to retrieve data.



**Figure 21 — Access to Resources by the Accessing Party at the Offering Party**

### 5.4.2 No Access

The Accessing Party requests Access to Resources, where the Access is either pending, ignored, denied or revoked by the Resource Owner. Such request is directly denied by the Offering Party.