

SAE Executive Standards Committee Rules provide that: "This report is published by SAE to advance the state of technical and engineering sciences. The use of this report is entirely voluntary, and its applicability and suitability for any particular use, including any patent infringement arising therefrom, is the sole responsibility of the user."

SAE reviews each technical report at least every five years at which time it may be revised, reaffirmed, stabilized, or cancelled. SAE invites your written comments and suggestions.

REV.
C

AS3230™

FEDERAL SUPPLY CLASS
5320

RATIONALE

FIGURE REDRAWN, TABLES RETYPED, USAGE NOTE ADDED, SPECS UPDATED, METRIC DIMENSIONS DELETED.





FIGURE 1

TABLE 1 - DIMENSIONS A TO J (REF)

NOMINAL DIAMETER	A	Ø B	C	Ø D	F TOL	G MAX /2/	(J)
.062	.061-.063	.099-.107	.019-.023	.021-.026	.010	.064	.090
.094	.093-.095	.164-.172	.033-.037	.045-.050	.010	.096	.105
.125	.123-.126	.210-.218	.039-.043	.060-.065	.010	.128	.130
.156	.154-.157	.272-.280	.052-.056	.092-.097	.015	.158	.155
.188	.186-.189	.337-.347	.067-.071	.107-.112	.015	.191	.180
.250	.248-.252	.460-.470	.092-.096	.154-.159	.020	.254	.230

For more information on this standard, visit
<https://www.sae.org/standards/content/AS3230C/>

THIRD ANGLE PROJECTION



CUSTODIAN: E-25

PROCUREMENT SPECIFICATION: AS7232



AEROSPACE STANDARD
RIVET-TUBULAR, COUNTERSUNK,
CORROSION AND HEAT RESISTANT NICKEL ALLOY
(UNS N06600)

AS3230™
SHEET 1 OF 5

REV.
C

TABLE 2 - DIMENSIONS AND PART NUMBERS

L	A=.062			A=.094		
	PART NUMBER	E	APPROX MASS LB/100	PART NUMBER	E	APPROX MASS LB/100
.146- .166	AS3230-001	.051-.081	.014	AS3230-051	.036- .066	.033
.178- .198	AS3230-002	.083-.103	.017	AS3230-052	.068- .098	.039
.209- .229	AS3230-003	.114-.144	.019	AS3230-053	.099- .129	.046
.240- .260	AS3230-004	.145-.175	.023	AS3230-054	.130- .160	.052
.271- .291	AS3230-005	.176-.206	.026	AS3230-055	.161- .191	.059
.302- .322	AS3230-006	.207-.237	.028	AS3230-056	.192- .222	.066
.334- .354	AS3230-007	.239-.269	.032	AS3230-057	.224- .254	.073
.365- .385	AS3230-008	.270-.300	.034	AS3230-058	.255- .285	.079
.396- .416	AS3230-009	.301-.331	.037	AS3230-059	.286- .316	.085
.428- .448	AS3230-010	.333-.363	.039	AS3230-060	.318- .348	.092
.459- .479	AS3230-011	.364-.394	.043	AS3230-061	.349- .379	.099
.490- .510	AS3230-012	.395-.425	.046	AS3230-062	.380- .410	.106
.521- .541	AS3230-013	.426-.456	.049	AS3230-063	.411- .441	.112
.552- .572	AS3230-014	.457-.487	.051	AS3230-064	.442- .472	.117
.584- .604	AS3230-015	.489-.519	.054	AS3230-065	.474- .504	.125
.615- .635				AS3230-066	.505- .535	.131
.645- .665				AS3230-067	.536- .566	.138
.678- .698				AS3230-068	.568- .598	.145
.709- .729				AS3230-069	.599- .629	.151
.740- .760				AS3230-070	.630- .660	.158
.771- .791				AS3230-071	.661- .691	.164
.802- .822				AS3230-072	.692- .722	.171
.834- .854				AS3230-073	.724- .754	.178
.865- .885				AS3230-074	.755- .785	.184
.896- .916				AS3230-075	.786- .816	.191
.928- .948				AS3230-076	.818- .848	.197
.959- .979				AS3230-077	.849- .879	.204
.990-1.010				AS3230-078	.880- .910	.210
1.052-1.072				AS3230-079	.942- .972	.224
1.115-1.135				AS3230-080	1.005-1.035	.237
1.178-1.198				AS3230-081	1.068-1.098	.250
1.240-1.260				AS3230-082	1.130-1.160	.263
1.302-1.322				AS3230-083	1.192-1.222	.276
1.365-1.385				AS3230-084	1.255-1.285	.289
1.428-1.448				AS3230-085	1.318-1.348	.303
1.490-1.510				AS3230-086	1.380-1.410	.316



AEROSPACE STANDARD
RIVET-TUBULAR, COUNTERSUNK,
CORROSION AND HEAT RESISTANT NICKEL ALLOY
(UNS N06600)

AS3230™
SHEET 2 OF 5

**REV.
C**

TABLE 2 - DIMENSIONS AND PART NUMBERS (CONTINUED)

L	A=.125			PART NUMBER	A=.156		
	PART NUMBER	E	APPROX MASS LB/100		E	APPROX MASS LB/100	
.178- .198	AS3230-102	.043- .073	.070	AS3230-154	.080- .110	.146	
.209- .229	AS3230-103	.074- .104	.081		AS3230-155	.111- .141	.163
.240- .260	AS3230-104	.105- .135	.093		AS3230-156	.142- .172	.181
.271- .291	AS3230-105	.136- .166	.105	AS3230-157	.174- .204	.200	
.302- .322	AS3230-106	.167- .197	.116		AS3230-158	.205- .235	.219
.334- .354	AS3230-107	.199- .229	.128		AS3230-159	.236- .266	.237
.365- .385	AS3230-108	.230- .260	.140	AS3230-160	.268- .298	.255	
.396- .416	AS3230-109	.261- .291	.151	AS3230-161	.299- .329	.273	
.428- .448	AS3230-110	.293- .323	.163	AS3230-162	.330- .360	.291	
.459- .479	AS3230-111	.324- .354	.175		AS3230-163	.361- .391	.309
.490- .510	AS3230-112	.355- .385	.186		AS3230-164	.392- .422	.327
.521- .541	AS3230-113	.386- .416	.197	AS3230-165	.424- .454	.346	
.552- .572	AS3230-114	.412- .442	.209	AS3230-166	.455- .485	.364	
.584- .604	AS3230-115	.449- .479	.220	AS3230-167	.486- .516	.382	
.615- .635	AS3230-116	.480- .510	.232		AS3230-168	.518- .548	.401
.645- .665	AS3230-117	.511- .541	.244		AS3230-169	.549- .579	.419
.678- .698	AS3230-118	.523- .553	.256	AS3230-170	.580- .610	.437	
.709- .729	AS3230-119	.574- .604	.268	AS3230-171	.611- .641	.454	
.740- .760	AS3230-120	.605- .635	.279	AS3230-172	.642- .672	.472	
.771- .791	AS3230-121	.636- .666	.290	AS3230-173	.674- .704	.492	
.802- .822	AS3230-122	.667- .697	.302	AS3230-174	.705- .735	.510	
.834- .854	AS3230-123	.699- .729	.314	AS3230-175	.736- .766	.528	
.865- .885	AS3230-124	.730- .760	.325	AS3230-176	.768- .798	.546	
.896- .916	AS3230-125	.761- .791	.336	AS3230-177	.799- .829	.564	
.928- .948	AS3230-126	.793- .823	.349		AS3230-178	.830- .860	.582
.959- .979	AS3230-127	.824- .854	.360		AS3230-179	.892- .922	.619
.990-1.072	AS3230-128	.855- .885	.372	AS3230-180	.955- .985	.655	
1.052-1.072	AS3230-129	.917- .947	.396	AS3230-181	1.018-1.048	.690	
1.115-1.135	AS3230-130	.980-1.010	.419	AS3230-182	1.080-1.110	.728	
1.178-1.198	AS3230-131	1.043-1.073	.443		AS3230-183	1.142-1.172	.764
1.240-1.260	AS3230-132	1.105-1.135	.465		AS3230-184	1.205-1.235	.801
1.302-1.322	AS3230-133	1.167-1.197	.488	AS3230-185	1.268-1.298	.837	
1.365-1.385	AS3230-134	1.230-1.260	.512	AS3230-186	1.330-1.360	.873	
1.428-1.448	AS3230-135	1.293-1.323	.535	AS3230-187	1.392-1.422	.906	
1.490-1.510	AS3230-136	1.355-1.385	.558		AS3230-188	1.455-1.485	.946
1.552-1.572	AS3230-137	1.417-1.447	.581		AS3230-189	1.518-1.548	.983
1.615-1.635	AS3230-138	1.480-1.510	.605	AS3230-190	1.580-1.610	1.020	
1.678-1.698	AS3230-139	1.543-1.573	.628	AS3230-191	1.642-1.672	1.055	
1.740-1.760	AS3230-140	1.605-1.635	.652	AS3230-192	1.705-1.735	1.092	
1.802-1.822					AS3230-193	1.768-1.798	1.128
1.865-1.885					AS3230-194	1.830-1.860	1.165
1.928-1.948							
1.990-2.010							

TABLE 2 - DIMENSIONS AND PART NUMBERS (CONTINUED)

L	A=.188			A=.250		
	PART NUMBER	E	APPROX MASS LB/100	PART NUMBER	E	APPROX MASS LB/100
.302- .322	AS3230-206	.117- .147	.263			
.334- .354	AS3230-207	.149- .179	.290			
.365- .385	AS3230-208	.180- .210	.317			
.396- .416	AS3230-209	.211- .241	.343	AS3230-259	.161- .191	.606
.428- .448	AS3230-210	.243- .273	.370	AS3230-260	.193- .223	.655
.459- .479	AS3230-211	.274- .304	.396	AS3230-261	.224- .254	.701
.490- .510	AS3230-212	.305- .335	.422	AS3230-262	.255- .285	.748
.521- .541	AS3230-213	.336- .366	.448	AS3230-263	.286- .316	.792
.552- .572	AS3230-214	.367- .397	.475	AS3230-264	.317- .347	.839
.584- .604	AS3230-215	.399- .429	.501	AS3230-265	.349- .379	.887
.615- .635	AS3230-216	.430- .460	.528	AS3230-266	.350- .380	.934
.645- .665	AS3230-217	.461- .491	.553	AS3230-267	.381- .411	.979
.678- .698	AS3230-218	.493- .523	.581	AS3230-268	.443- .473	1.028
.709- .729	AS3230-219	.524- .554	.607	AS3230-269	.474- .504	1.074
.740- .760	AS3230-220	.555- .585	.633	AS3230-270	.505- .535	1.121
.771- .791	AS3230-221	.586- .616	.660	AS3230-271	.536- .566	1.167
.802- .822	AS3230-222	.617- .647	.686	AS3230-272	.567- .597	1.214
.834- .854	AS3230-223	.649- .679	.712	AS3230-273	.599- .629	1.261
.865- .885	AS3230-224	.680- .710	.739	AS3230-274	.630- .660	1.307
.896- .916	AS3230-225	.711- .741	.766	AS3230-275	.661- .691	1.353
.928- .948	AS3230-226	.743- .773	.791	AS3230-276	.693- .723	1.401
.959- .979	AS3230-227	.774- .804	.818	AS3230-277	.724- .754	1.448
.990-1.010	AS3230-228	.805- .835	.845	AS3230-278	.755- .785	1.494
1.052-1.072	AS3230-229	.867- .897	.897	AS3230-279	.817- .847	1.586
1.115-1.135	AS3230-230	.930- .960	.950	AS3230-280	.880- .910	1.681
1.178-1.198	AS3230-231	.993-1.023	1.004	AS3230-281	.943- .973	1.775
1.240-1.260	AS3230-232	1.055-1.085	1.056	AS3230-282	1.005-1.035	1.867
1.302-1.322	AS3230-233	1.117-1.147	1.108	AS3230-283	1.067-1.097	1.960
1.365-1.385	AS3230-234	1.180-1.210	1.161	AS3230-284	1.130-1.160	2.054
1.428-1.448	AS3230-235	1.243-1.273	1.215	AS3230-285	1.193-1.223	2.149
1.490-1.510	AS3230-236	1.305-1.335	1.267	AS3230-286	1.255-1.285	2.242
1.552-1.572	AS3230-237	1.367-1.397	1.319	AS3230-287	1.317-1.347	2.333
1.615-1.635	AS3230-238	1.430-1.460	1.372	AS3230-288	1.380-1.410	2.428
1.678-1.698	AS3230-239	1.493-1.523	1.420	AS3230-289	1.443-1.473	2.522
1.740-1.760	AS3230-240	1.555-1.585	1.478	AS3230-290	1.505-1.535	2.615
1.802-1.822	AS3230-241	1.617-1.647	1.530	AS3230-291	1.567-1.597	2.708
1.865-1.885	AS3230-242	1.680-1.710	1.584	AS3230-292	1.630-1.660	2.802
1.928-1.948	AS3230-243	1.743-1.773	1.636	AS3230-293	1.693-1.723	2.895
1.990-2.010	AS3230-244	1.805-1.835	1.689	AS3230-294	1.755-1.785	2.986