


AS9588	<p>Submitted for recognition as an American National Standard</p>	<p>FEDERAL SUPPLY CLASS 5306</p>		
	<p>NOTICE</p> <p>THIS DOCUMENT HAS BEEN TAKEN DIRECTLY FROM U.S. MILITARY SPECIFICATION MS9588D, AMENDMENT 1 AND CONTAINS ONLY MINOR EDITORIAL AND FORMAT CHANGES REQUIRED TO BRING IT INTO CONFORMANCE WITH THE PUBLISHING REQUIREMENTS OF SAE TECHNICAL STANDARDS. THE INITIAL RELEASE OF THIS DOCUMENT IS INTENDED TO REPLACE MS9588D, AMENDMENT 1. ANY PART NUMBERS ESTABLISHED BY THE ORIGINAL SPECIFICATION REMAIN UNCHANGED.</p> <p>THE ORIGINAL MILITARY SPECIFICATION WAS ADOPTED AS AN SAE STANDARD UNDER THE PROVISIONS OF THE SAE TECHNICAL STANDARDS BOARD (TSB) RULES AND REGULATIONS (TSB 001) PERTAINING TO ACCELERATED ADOPTION OF GOVERNMENT SPECIFICATIONS AND STANDARDS. TSB RULES PROVIDE FOR (A) THE PUBLICATION OF PORTIONS OF UNREVISED GOVERNMENT SPECIFICATIONS AND STANDARDS WITHOUT CONSENSUS VOTING AT THE SAE COMMITTEE LEVEL, AND (B) THE USE OF THE EXISTING GOVERNMENT SPECIFICATION OR STANDARD FORMAT.</p> <p>UNDER DEPARTMENT OF DEFENSE POLICIES AND PROCEDURES, ANY QUALIFICATION REQUIREMENTS AND ASSOCIATED QUALIFIED PRODUCTS LISTS ARE MANDATORY FOR DOD CONTRACTS. ANY REQUIREMENT RELATING TO QUALIFIED PRODUCTS LISTS (QPL'S) HAS NOT BEEN ADOPTED BY SAE AND IS NOT PART OF THIS TECHNICAL REPORT.</p>			
<p>SAENORM.COM : Click to view the full PDF of as9588</p>				
				
PREPARED BY COMMITTEE E-25	PROCUREMENT SPECIFICATION: AMS 7477	ISSUED 1998-11		
 400 Commonwealth Drive, Warrendale, PA 15098-0001	AEROSPACE STANDARD BOLT, MACHINE-HEXAGON HEAD, DRILLED, 6 HOLES, FULL SHANK, .500-20 UNJF-3A	AS9588 SHEET 1 OF 3		

SAE Technical Standards Board Rules provide that: "This report is published by SAE to advance the state of technical and engineering sciences. The use of this report is entirely voluntary, and its applicability and suitability for any particular use, including any patent infringement arising therefrom, is the sole responsibility of the user."

SAE reviews each technical report at least every five years at which time it may be reaffirmed, revised, or cancelled. SAE invites your written comments and suggestions.




TABLE I. DASH NUMBERS AND DIMENSIONS

DASH NO.	L	K	APPROX WEIGHT LB/100	DASH NO.	L	K	APPROX WEIGHT LB/100
-04	.812	.105-.125	9.00	-31	3.250	1.940-2.000	22.53
-05	.875	.105-.125	9.35	-32	3.375	2.065-2.125	23.22
-06	.938	.105-.125	9.70	-33	3.500	2.190-2.250	23.92
-07	1.000	.105-.125	10.05	-34	3.625	2.315-2.375	24.61
-08	1.062	.105-.125	10.42	-35	3.750	2.440-2.500	25.30
-09	1.125	.105-.125	10.74	-36	3.875	2.565-2.625	26.00
-10	1.188	.105-.125	11.09	-37	4.000	2.690-2.750	26.69
-11	1.250	.105-.125	11.43	-38	4.125	2.815-2.875	27.38
-12	1.312	.105-.125	11.78	-39	4.250	2.940-3.000	28.08
-13	1.375	.105-.125	12.13	-40	4.375	3.065-3.125	28.78
-14	1.438	.128-.188	12.48	-41	4.500	3.190-3.250	29.47
-15	1.500	.190-.250	12.82	-42	4.625	3.315-3.375	30.16
-16	1.562	.252-.312	13.16	-43	4.750	3.440-3.500	30.85
-17	1.625	.315-.375	13.57	-44	4.875	3.565-3.625	31.54
-18	1.688	.378-.438	13.86	-45	5.000	3.690-3.750	32.24
-19	1.750	.440-.500	14.21	-46	5.125	3.815-3.875	32.93
-20	1.875	.565-.625	14.90	-47	5.250	3.940-4.000	33.62
-21	2.000	.690-.750	15.59	-48	5.375	4.065-4.125	34.32
-22	2.125	.815-.875	16.29	-49	5.500	4.190-4.250	35.01
-23	2.250	.940-1.000	16.98	-50	5.625	4.315-4.375	35.71
-24	2.375	1.065-1.125	17.67	-51	5.750	4.440-4.500	36.40
-25	2.500	1.190-1.250	18.37	-52	5.875	4.565-4.625	37.09
-26	2.625	1.315-1.375	19.06	-53	6.000	4.690-4.750	37.79
-27	2.750	1.440-1.500	19.75	-54	1.812	.502-.562	14.55
-28	2.875	1.565-1.625	20.45	-55	1.938	.628-.688	15.24
-29	3.000	1.690-1.750	21.14				
-30	3.125	1.815-1.875	21.84				