INTERNATIONAL **STANDARD**

ISO/IEC 14496-14

> First edition 2003-11-15 **AMENDMENT 1** 2010-06-15

- Coding of Information technology audio-visual objects

Part 14: MP4 file format

AMENDMENT 1 Handling of MPEG-4 audio enhancementlayers

Technologies de l'information — Codage des objets audiovisuels — Partie 14. Format de fichier MP4

AMENDEMENT 1: Traitement des couches d'amélioration MPEG-4



PDF disclaimer

This PDF file may contain embedded typefaces. In accordance with Adobe's licensing policy, this file may be printed or viewed but shall not be edited unless the typefaces which are embedded are licensed to and installed on the computer performing the editing. In downloading this file, parties accept therein the responsibility of not infringing Adobe's licensing policy. The ISO Central Secretariat accepts no liability in this area.

Adobe is a trademark of Adobe Systems Incorporated.

Sego com, click to remitte full plf of Isolitic 14486 nt. 2003/Anth Porto Details of the software products used to create this PDF file can be found in the General Info relative to the file; the PDF-creation parameters were optimized for printing. Every care has been taken to ensure that the file is suitable for use by ISO member bodies. In the unlikely event that a problem relating to it is found, please inform the Central Secretariat at the address given below.

COPYRIGHT PROTECTED DOCUMENT

© ISO/IEC 2010

AlCrights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office Case postale 56 • CH-1211 Geneva 20 Tel. + 41 22 749 01 11 Fax + 41 22 749 09 47 E-mail copyright@iso.org Web www.iso.org

Published in Switzerland

Foreword

ISO (the International Organization for Standardization) and IEC (the International Electrotechnical Commission) form the specialized system for worldwide standardization. National bodies that are members of ISO or IEC participate in the development of International Standards through technical committees established by the respective organization to deal with particular fields of technical activity. ISO and IEC technical committees collaborate in fields of mutual interest. Other international organizations, governmental and non-governmental, in liaison with ISO and IEC, also take part in the work. In the field of information technology, ISO and IEC have established a joint technical committee, ISO/IEC JTC 1.

International Standards are drafted in accordance with the rules given in the ISO/IEC Directives, Part 2.

The main task of the joint technical committee is to prepare International Standards. Draft International Standards adopted by the joint technical committee are circulated to national bodies for voting. Publication as an International Standard requires approval by at least 75 % of the national bodies casting a vote.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO and IEC shall not be held responsible for identifying any or all such patent rights.

Amendment 1 to ISO/IEC 14496-14:2003 was prepared by Joint Technical Committee ISO/IEC JTC 1, Information technology, Subcommittee SC 29, Coding of audio, picture, multimedia and hypermedia information.

STANDARDS 50.COM. Click to view the full POF of SONEC ALARSO A. 2003 AND 12010

Information technology — Coding of audio-visual objects —

Part 14:

MP4 file format

AMENDMENT 1: Handling of MPEG-4 audio enhancement layers

In Clause 2, replace:

ISO/IEC 14496-1:2001, Information technology — Coding of audio-visual objects — Part 1: Systems

with:

ISO/IEC 14496-1:2010, Information technology — Coding of audio-visual objects — Part 1: Systems

In 5.1.1, replace:

The syntax for ObjectDescriptor and InitialObjectDescriptor is described in 8.6.2 through 8.6.4.

with:

The syntax for ObjectDescriptor and InitialObjectDescriptor is described in 7.2.6 of ISO/IEC 14496-1:2004.

In 5.1.2, replace:

The semantics for ObjectDescriptor and InitialObjectDescriptor are described in 8.6.2 through 8.6.4. The contents of this box are formed by taking an object descriptor or initial object descriptor and:

with:

The semantics for ObjectDescriptor and InitialObjectDescriptor are described in 7.2.6 of ISO/IEC 14496-1:2004. The contents of this box are formed by taking an object descriptor or initial object descriptor and:

In 5.2, replace:

• dpnd - this track has an MPEG-4 dependency on the referenced track

with:

 dpnd - this track has an MPEG-4 dependency on the referenced track. If the track type is an MP4AudioEnhancementSampleEntry as defined in clause 5.6 then this track-reference is mandatory and indicates a strong dependency, i.e. the track containing the reference cannot be decoded without the referenced track.

ISO/IEC 14496-14:2003/Amd.1:2010(E)

In 5.6, replace:

For visual streams, a VisualSampleEntry is used; for audio streams, an AudioSampleEntry. For all other MPEG-4 streams, a MpegSampleEntry is used. Hint tracks use an entry format specific to their protocol, with an appropriate name.

with:

For visual streams, an MP4VisualSampleEntry is used; for audio streams which are not enhancement layers, i.e. not a scalable extension, an MP4AudioSampleEntry is used. For audio streams which are enhancement layers, an MP4AudioEnhancementSampleEntry is used. For all other MPEG-4 streams, an MpegSampleEntry is used. Hint tracks use an entry format specific to their protocol, with an appropriate name.

In 5.6, add the following paragraph:

An MP4AudioEnhancementSampleEntry indicates that this track contains MPEG enhancement audio data only (e.g. a spatial or quality as heavy) audio data that is enhancement audio data only (e.g. a spatial or quality enhancement) and the track cannot be decoded without the referenced audio track, as indicated by a mandatory track-reference of type dond.

```
class MP4AudioEnhancementSampleEntry() extends AudioSampleEntry ('m4ae'){
ESDBox ES;
}
```